

# Rigid Fittings

## Insulated Ground Bushings c/w Aluminum Lay-In Lug

### Diecast

#### Ground Lug Capacity

20BIZ4L	14-4	1/2"	100
21BIZ4L	14-4	3/4"	50
22BIZ4L	14-4	1"	25
23BIZ4L	14-4	1-1/4"	25
24BIZ4L	14-4	1-1/2"	25
25BIZ4L	14-4	2"	25
26BIZ0L	14-2/0	2-1/2"	1
27BIZ0L	14-2/0	3"	1
28BIZ0L	14-2/0	3-1/2"	1
29BIZ0L	14-2/0	4"	1



### Malleable Iron

#### Ground Lug Capacity

26BI0L	14-2/0	2-1/2"	1
27BI0L	14-2/0	3"	1
28BI0L	14-2/0	3-1/2"	1
29BI0L	14-2/0	4"	1
30BI40L	6-250	5"	1
31BI40L	6-250	6"	1



Available in Hot Dipped Galvanized

Split Grounding Bushing Available



## Bushings

### Plastic

PB50	1/2"	100
PB75	3/4"	100
PB100	1"	50
PB125	1-1/4"	25
PB150	1-1/2"	25
PB200	2"	1
PB250	2-1/2"	1
PB300	3"	1
PB350	3-1/2"	1
PB400	4"	1
PB500	5"	1
PB600	6"	1



### Malleable Iron Insulated

1206	1/2"	100
1207	3/4"	100
1208	1"	50
1209	1-1/4"	25
1210	1-1/2"	25
1211	2"	1
1212	2-1/2"	1
1213	3"	1
1214	3-1/2"	1
1215	4"	1
1216	5"	1
1217	6"	1



# Rigid Fittings

## Locknuts

### Steel

<b>705X</b>	<b>Oversize Locknut</b>	<b>3/8"</b>	<b>250</b>
LN50		1/2"	100
LN75		3/4"	100
LN100		1"	50
LN125		1-1/4"	100
LN150		1-1/2"	100
LN200		2"	50
LN250		2-1/2"	50
LN300		3"	25
LN350		3-1/2"	25
LN400		4"	1
LN500		5"	1
LN600		6"	1



705X



### Aluminum

LN50AL		1/2"	100
LN75AL		3/4"	100
LN100AL		1"	50
LN125AL		1-1/4"	100
LN150AL		1-1/2"	100
LN200AL		2"	50
LN250AL		2-1/2"	50
LN300AL		3"	25
LN350AL		3-1/2"	25
LN400AL		4"	1
LN500AL		5"	1
LN600AL		6"	1



### Sealing Locknuts

706P		1/2"	100
707P		3/4"	100
708P		1"	50
709P		1-1/4"	1
710P		1-1/2"	1
711P		2"	1
712P		2-1/2"	1
713P		3"	1
714P		3-1/2"	1
715P		4"	1
716P		5"	1
717P		6"	1



Steel Locknut with Neoprene Gasket

## Rigid Fittings

### Sealing O-Rings

SR50	1/2"	100
SR75	3/4"	100
SR100	1"	100
SR125	1-1/4"	50
SR150	1-1/2"	50
SR200	2"	50
SR250	2-1/2"	1
SR300	3"	1
SR350	3-1/2"	1
SR400	4"	1
SR500	5"	1
SR600	6"	1



### Oil-Tight Hole Seals

S050	1/2"	10
S075	3/4"	10
S100	1"	10
S125	1-1/4"	10
S150	1-1/2"	10
S200	2"	10
S250	2-1/2"	10
S300	3"	10
S350	3-1/2"	10
S400	4"	10



Available in Stainless Steel

### Knock-Out Seals - Steel

SS50	1/2"	200
SS52	3/4"	100
SS54	1"	100
SS56	1-1/4"	50
SS58	1-1/2"	50
SS60	2"	25
SS62	2-1/2"	10
SS64	3"	10
SS66	3-1/2"	10
SS68	4"	10



### Sevice Entrance Head - Threaded - Aluminum

400	1/2"	10
401	3/4"	10
402	1"	10
403	1-1/4"	1
404	1-1/2"	1
405	2"	1
406	2-1/2"	1
407	3"	1
408	3-1/2"	1
409	4"	1



### 3 Piece Couplings - Malleable Iron

1022	1/2"	20
1023	3/4"	10
1024	1"	1
1025	1-1/4"	1
1026	1-1/2"	1
1027	2"	1
1028	2-1/2"	2
1029	3"	2
1030	3-1/2"	1
1031	4"	1



Available in Hot Dipped Galvanized

## Rigid Fittings

### Bushed Nipples (Chase)

#### Malleable Iron

90	1/2"	100
91	3/4"	100
92	1"	50
93	1-1/4"	25
94	1-1/2"	1
95	2"	1
96	2-1/2"	1
97	3"	1
98	3-1/2"	1
99	4"	1
995	5"	1
996	6"	1

#### Die Cast

90Z	1/2"	100
91Z	3/4"	100
92Z	1"	50
93Z	1-1/4"	25
94Z	1-1/2"	1
95Z	2"	1
96Z	2-1/2"	1
97Z	3"	1
98Z	3-1/2"	1
99Z	4"	1



### Offset Nipples

#### Diecast

C41	1/2"	10
C42	3/4"	10
C43	1"	10
C44	1-1/4"	5
C45	1-1/2"	5
C46	2"	2
C465	2-1/2"	1
C466	3"	1
C468	4"	1



#### Malleable Iron

OSN50	1/2"	10
OSN75	3/4"	10
OSN100	1"	10
OSN125	1-1/4"	5



### Enlargers - Male to Female

E35	1/2" Male - 3/4" Female	25
E36	3/4" Male - 1" Female	10
E37	1" Male - 1-1/4" Female	10
E38	1-1/4" Male - 1-1/2" Female	10



### Floor Flanges

1F	1/2"	1
2F	3/4"	1
3F	1"	1
4F	1-1/4"	1
5F	1-1/2"	1
6F	2"	1



### Swivel Fixture Hanger

SWV4R (round)	50 Lbs. Load Rating	1/2" or 3/4"	1
SWV4S (square)	50 Lbs. Load Rating	1/2" or 3/4"	1



Supplied with 3/4" x 1/2" Steel Reducer

# Rigid Fittings

## Conduit Straps and Spacers

### One Hole - Steel

132S	1/2"	100
133S	3/4"	100
134S	1"	100
135S	1-1/4"	100
136S	1-1/2"	50
137S	2"	50
138S	2-1/2"	50
139S	3"	1
141S	3-1/2"	1
148S	4"	1



### Two Hole - Steel

2132S	1/2"	250
2133S	3/4"	150
2134S	1"	100
2135S	1-1/4"	50
2136S	1-1/2"	50
2137S	2"	25
2138S	2-1/2"	25
2139S	3"	20
2141S	3-1/2"	15
2148S	4"	10
2150S	5"	10
2152S	6"	10



### One Hole - Malleable

132	1/2"	100
133	3/4"	100
134	1"	50
135	1-1/4"	1
136	1-1/2"	1
137	2"	1
138	2-1/2"	1
139	3"	1
141	3-1/2"	1
148	4"	1



Available in Hot Dipped Galvanized

### Clamp Backs - Malleable

900	1/2"	100
901	3/4"	100
902	1"	50
903	1-1/4"	50
904	1-1/2"	1
905	2"	1
906	2-1/2"	1
907	3"	1
908	3-1/2"	1
909	4"	1



Available in Hot Dipped Galvanized

# Rigid Fittings

## Conduit Hubs

### Zinc Die Cast

TWH10	1/2"	25
TWH20	3/4"	25
TWH30	1"	10
TWH40	1-1/4"	5
TWH50	1-1/2"	2
TWH60	2"	2
TWH70	2-1/2"	1
TWH80	3"	1
TWH90	3-1/2"	1
TWH100	4"	1



### Aluminum

TWH10A	1/2"	25
TWH20A	3/4"	25
TWH30A	1"	10
TWH40A	1-1/4"	5
TWH50A	1-1/2"	2
TWH60A	2"	2
TWH70A	2-1/2"	1
TWH80A	3"	1
TWH90A	3-1/2"	1
TWH100A	4"	1



### Malleable Iron

CHM50	1/2"	25
CHM75	3/4"	25
CHM100	1"	10
CHM125	1-1/4"	5
CHM150	1-1/2"	2
CHM200	2"	2
CHM250	2-1/2"	1
CHM300	3"	1
CHM350	3-1/2"	1
CHM400	4"	1



Available in Hot Dipped Galvanized

## Pull Elbows

### Female to Female - Die Cast

1313	1/2"	10
1314	3/4"	5
1315	1"	25
1316	1-1/4"	20



### Female to Female - Malleable Iron

PEF50	1/2"	10
PEF75	3/4"	5
PEF100	1"	1
PEF125	1-1/4"	1
PEF150	1-1/2"	1
PEF200	2"	1

### Male to Female - Die Cast

1320	1/2"	10
1321	3/4"	5



### Male to Female - Malleable Iron

PEM50	1/2"	10
PEM75	3/4"	5
PEM100	1"	1
PEM125	1-1/4"	1
PEM150	1-1/2"	1
PEM200	2"	1

## Rigid Fittings

### Rigid Compression Connectors - Malleable Iron

NTC50	1/2"	25
NTC75	3/4"	25
NTC100	1"	10
NTC125	1-1/4"	5
NTC150	1-1/2"	2
NTC200	2"	5
NTC250	2-1/2"	1
NTC300	3"	1
NTC350	3-1/2"	1
NTC400	4"	1

Available with Insulated Throat



### Rigid Compression Couplings - Malleable Iron

NTCC50	1/2"	25
NTCC75	3/4"	10
NTCC100	1"	5
NTCC125	1-1/4"	5
NTCC150	1-1/2"	2
NTCC200	2"	5
NTCC250	2-1/2"	1
NTCC300	3"	1
NTCC350	3-1/2"	1
NTCC400	4"	1



### Rigid Set Screw Connectors - Malleable Iron

TRC50	1/2"	25
TRC75	3/4"	25
TRC100	1"	5
TRC125	1-1/4"	5
TRC150	1-1/2"	5
TRC200	2"	2
TRC250	2-1/2"	2
TRC300	3"	1
TRC350	3-1/2"	1
TRC400	4"	1

Available with Insulated Throat



### Rigid Set Screw Couplings - Malleable Iron

TRCC50	1/2"	20
TRCC75	3/4"	20
TRCC100	1"	5
TRCC125	1-1/4"	5
TRCC150	1-1/2"	5
TRCC200	2"	2
TRCC250	2-1/2"	2
TRCC300	3"	1
TRCC350	3-1/2"	1
TRCC400	4"	1



### Conduit Reducing Bushings

RE21K	3/4" x 1/2"	200
RE31K	1" x 1/2"	100
RE32K	1" x 3/4"	100
RE41K	1-1/4" x 1/2"	50
RE42K	1-1/4" x 3/4"	50
RE43K	1-1/4" x 1"	50
RE51K	1-1/2" x 1/2"	50
RE52K	1-1/2" x 3/4"	50
RE53K	1-1/2" x 1"	50
RE54K	1-1/2" x 1-1/4"	50
RE61K	2" x 1/2"	25
RE62K	2" x 3/4"	25
RE63K	2" x 1"	25
RE64K	2" x 1-1/4"	25
RE65K	2" x 1-1/2"	25
RE71K	2-1/2" x 1/2"	10
RE72K	2-1/2" x 3/4"	10
RE73K	2-1/2" x 1"	10
RE74K	2-1/2" x 1-1/4"	10
RE75K	2-1/2" x 1-1/2"	10
RE76K	2-1/2" x 2"	10



# Rigid Fittings

## Conduit Reducing Bushings

RE81K	3" x 1/2"	10
RE82K	3" x 3/4"	10
RE83K	3" x 1"	10
RE84K	3" x 1-1/4"	10
RE85K	3" x 1-1/2"	10
RE86K	3" x 2"	10
RE87K	3" x 2-1/2"	10
RE91K	3-1/2" x 1/2"	5
RE92K	3-1/2" x 3/4"	5
RE93K	3-1/2" x 1"	5
RE94K	3-1/2" x 1-1/4"	5
RE95K	3-1/2" x 1-1/2"	5
RE96K	3-1/2" x 2"	5
RE97K	3-1/2" x 2-1/2"	5
RE98K	3-1/2" x 3"	5
RE101K	4" x 1/2"	5
RE102K	4" x 3/4"	5
RE103K	4" x 1"	5
RE104K	4" x 1-1/4"	5
RE105K	4" x 1-1/2"	5
RE106K	4" x 2"	5
RE107K	4" x 2-1/2"	5
RE108K	4" x 3"	5
RE109K	4" x 3-1/2"	5
RE01210K	5" x 4"	1
RE01412K	6" x 5"	1



Available with Hex Head

## Conduit Reducing Washers

CW21	3/4" x 1/2"	250
CW31	1" x 1/2"	250
CW32	1" x 3/4"	250
CW41	1-1/4" x 1/2"	100
CW42	1-1/4" x 3/4"	100
CW43	1-1/4" x 1"	100
CW51	1-1/2" x 1/2"	100
CW52	1-1/2" x 3/4"	100
CW53	1-1/2" x 1"	100
CW54	1-1/2" x 1-1/4"	100
CW61	2" x 1/2"	50
CW62	2" x 3/4"	50
CW63	2" x 1"	50
CW64	2" x 1-1/4"	50
CW65	2" x 1-1/2"	50
CW71	2-1/2" x 1/2"	50
CW72	2-1/2" x 3/4"	50
CW73	2-1/2" x 1"	50
CW74	2-1/2" x 1-1/4"	50
CW75	2-1/2" x 1-1/2"	50
CW76	2-1/2" x 2"	50
CW81	3" x 1/2"	25
CW82	3" x 3/4"	25
CW83	3" x 1"	25
CW84	3" x 1-1/4"	25
CW85	3" x 1-1/2"	25
CW86	3" x 2"	25
CW87	3" x 2-1/2"	25
CW91	3-1/2" x 1/2"	10
CW92	3-1/2" x 3/4"	10
CW93	3-1/2" x 1"	10
CW94	3-1/2" x 1-1/4"	10
CW95	3-1/2" x 1-1/2"	10
CW96	3-1/2" x 2"	10
CW97	3-1/2" x 2-1/2"	10
CW98	3-1/2" x 3"	10
CW101	4" x 1/2"	10
CW102	4" x 3/4"	10
CW103	4" x 1"	10
CW104	4" x 1-1/4"	10
CW105	4" x 1-1/2"	10
CW106	4" x 2"	10
CW107	4" x 2-1/2"	10
CW108	4" x 3"	10
CW109	4" x 3-1/2"	10





## Rigid Fittings

### Rigid Conduit Fittings - Malleable Iron - c/w Cover and Gasket

C	LB	LR	LL		
C1CG	LB1CG	LR1CG	LL1CG	1/2"	10
C2CG	LB2CG	LR2CG	LL2CG	3/4"	10
C3CG	LB3CG	LR2CG	LL2CG	1"	5
C4CG	LB4CG	LR4CG	LL4CG	1-1/4"	1
C5CG	LB5CG	LR5CG	LL5CG	1-1/2"	1
C6CG	LB6CG	LR6CG	LL6CG	2"	1
C7CG	LB7CG	LR7CG	LL7CG	2-1/2"	1
C8CG	LB8CG	LR8CG	LL8CG	3"	1
C9CG	LB9CG	LR9CG	LL9CG	3-1/2"	1
C10CG	LB10CG	LR10CG	LL10CG	4"	1



Available in Hot Dipped Galvanized

#### T

T1CG				1/2"	10
T2CG				3/4"	10
T3CG				1"	5
T4CG				1-1/4"	1
T5CG				1-1/2"	1
T6CG				2"	1
T7CG				2-1/2"	1
T8CG				3"	1
T10CG				4"	1



Available in Hot Dipped Galvanized

### Rigid Conduit Fittings - Aluminum - c/w Cover and Gasket

C	LB	LR	LL		
C7ACG	LB7ACG	LR7ACG	LL7ACG	2-1/2"	1
C8ACG	LB8ACG	LR8ACG	LL8ACG	3"	1
C10ACG	LB10ACG	LR10ACG	LL10ACG	4"	1



### Form 7 Rigid Conduit Fittings - Malleable Iron - c/w Cover and Gasket

C	LB	LR	LL		
C17F7	LB17F7	LR17F7	LL17F7	1/2"	10
C27F7	LB27F7	LR27F7	LL27F7	3/4"	10
C37F7	LB37F7	LR37F7	LL37F7	1"	5
C47F7	LB47F7	LR47F7	LL47F7	1-1/4"	10
C57F7	LB57F7	LR57F7	LL57F7	1-1/2"	10
C67F7	LB67F7	LR67F7	LL67F7	2"	1
C77F7	LB77F7	LR77F7	LL77F7	2-1/2"	1
C87F7	LB87F7	LR87F7	LL87F7	3"	1
C97F7	LB97F7	LR97F7	LL97F7	3-1/2"	1
C107F7	LB107F7	LR107F7	LL107F7	4"	1



#### T

T17F7				1/2"	10
T27F7				3/4"	10
T37F7				1"	5
T47F7				1-1/4"	10
T57F7				1-1/2"	1
T67F7				2"	1
T77F7				2-1/2"	1
T87F7				3"	1
T107F7				4"	1



Cast Covers also Available

### Mogul Fittings - Malleable Iron/Hot Dipped Galvanized

#### LB

MLB100G				1"	1
MLB125G				1-1/4"	1
MLB150G				1-1/2"	1
MLB200G				2"	1
MLB250G				2-1/2"	1
MLB300G				3"	1
MLB350G				3-1/2"	1
MLB400G				4"	1



Also Available in C, LL, LR and T

1-1/4" to 4" Type "C" & "LB" Malleable Iron Conduit Bodies Have Rollers Installed

# Rigid Fittings

## Cast Device Boxes

### Single Gang

FS50	Dead End - Shallow	1/2"	1
FS75	Dead End - Shallow	3/4"	1
FS100	Dead End - Shallow	1"	1
FSC50	Pull Thru - Shallow	1/2"	1
FSC75	Pull Thru - Shallow	3/4"	1
FSC100	Pull Thru - Shallow	1"	1
FD50	Dead End - Deep	1/2"	1
FD75	Dead End - Deep	3/4"	1
FD100	Dead End - Deep	1"	1
FDC50	Pull Thru - Deep	1/2"	1
FDC75	Pull Thru - Deep	3/4"	1
FDC100	Pull Thru - Deep	1"	1



Available in Hot Dipped Galvanized

### Double Gang

FS2-50	Dead End - Shallow	1/2"	1
FS2-75	Dead End - Shallow	3/4"	1
FS2-100	Dead End - Shallow	1"	1
FSC2-50	Pull Thru - Shallow	1/2"	1
FSC2-75	Pull Thru - Shallow	3/4"	1
FSC2-100	Pull Thru - Shallow	1"	1
FD2-50	Dead End - Deep	1/2"	1
FD2-75	Dead End - Deep	3/4"	1
FD2-100	Dead End - Deep	1"	1
FDC2-50	Pull Thru - Deep	1/2"	1
FDC2-75	Pull Thru - Deep	3/4"	1
FDC2-100	Pull Thru - Deep	1"	1




Available in Hot Dipped Galvanized

## Device Box Covers

### Single Gang

FSFD-CS1	Stamped Steel	Blank	5
FSFD-CS2	Stamped Steel	Switch	5
FSFD-CS3	Stamped Steel	Duplex Receptacle	5
FSFD-CS4	Stamped Steel	GFI	5
FSFD-CM1	Malleable	Blank	5
FSFD-CM2	Malleable	Switch	5
FSFD-CM3	Malleable	Duplex Receptacle	5
FSFD-CG	Gasket		10



### Double Gang

FSFD2-CS1	Stamped Steel	Blank	5
FSFD2-CS2	Stamped Steel	Switch	10
FSFD2-CS3	Stamped Steel	Duplex Receptacle	10
FSFD2-CS4	Stamped Steel	GFI	5
FSFD2-CS5	Stamped Steel	Switch / Duplex Rec.	10
FSFD2-CS6	Stamped Steel	Switch / Single Rec.	10
FSFD2-CM1	Malleable	Blank	10
FSFD2-CM2	Malleable	Switch	5
FSFD2-CG	Gasket		20

