

Sealtite (Liquid-Tight) Connectors

Catalog # Description Std. Pkg.

Zinc Die Cast - Non Insulated

Straight

| | | |
|------|--------|----|
| LT47 | 3/8" | 25 |
| LT27 | 1/2" | 25 |
| LT28 | 3/4" | 10 |
| LT29 | 1" | 5 |
| LT30 | 1-1/4" | 5 |
| LT31 | 1-1/2" | 1 |
| LT32 | 2" | 1 |
| LT33 | 2-1/2" | 1 |
| LT34 | 3" | 1 |
| LT60 | 3-1/2" | 1 |
| LT61 | 4" | 1 |



90 Degree

| | | |
|------|--------|----|
| LT25 | 3/8" | 10 |
| LT35 | 1/2" | 10 |
| LT36 | 3/4" | 10 |
| LT37 | 1" | 5 |
| LT38 | 1-1/4" | 1 |
| LT39 | 1-1/2" | 1 |
| LT40 | 2" | 1 |
| LT65 | 2-1/2" | 1 |
| LT66 | 3" | 1 |
| LT67 | 3-1/2" | 1 |
| LT68 | 4" | 1 |



Malleable Iron - Insulated Throat

Straight

| | | |
|---------|--------|----|
| SLT47T | 3/8" | 25 |
| SLT27T | 1/2" | 25 |
| SLT28T | 3/4" | 10 |
| SLT29T | 1" | 5 |
| SLT30T | 1-1/4" | 5 |
| SLT31T | 1-1/2" | 10 |
| SLT32T | 2" | 5 |
| SLT33T | 2-1/2" | 1 |
| SLT34T | 3" | 1 |
| SLT60T | 3-1/2" | 1 |
| SLT61T | 4" | 1 |
| SLT62T* | 5" | 1 |
| SLT63T* | 6" | 1 |



90 Degree

45 Degree

Size

| | | | |
|---------|------------|--------|----|
| SLT25T | SLT25-45T | 3/8" | 10 |
| SLT35T | SLT35-45T | 1/2" | 10 |
| SLT36T | SLT36-45T | 3/4" | 10 |
| SLT37T | SLT37-45T | 1" | 5 |
| SLT38T | SLT38-45T | 1-1/4" | 10 |
| SLT39T | SLT39-45T | 1-1/2" | 10 |
| SLT40T | SLT40-45T | 2" | 5 |
| SLT65T* | SLT65-45T* | 2-1/2" | 1 |
| SLT66T* | SLT66-45T* | 3" | 1 |
| SLT67T* | SLT67-45T* | 3-1/2" | 1 |
| SLT68T* | SLT68-45T* | 4" | 1 |



Available in Mechanical Galvanized

*Available in Hot Dipped Galvanized

Sealtite (Liquid-Tight) Connectors

Catalog # Description Std. Pkg.

Malleable Iron - Insulated Throat with Aluminum Ground Lug

| <u>Straight</u> | <u>Ground Lug Capacity</u> | <u>Size</u> | |
|-----------------|----------------------------|-------------|----|
| SLT47ALT | #4 - #14 | 3/8" | 25 |
| SLT27ALT | #4 - #14 | 1/2" | 25 |
| SLT28ALT | #4 - #14 | 3/4" | 10 |
| SLT29ALT | #4 - #14 | 1" | 5 |
| SLT30ALT | #4 - #14 | 1-1/4" | 5 |
| SLT31ALT | #4 - #14 | 1-1/2" | 10 |
| SLT32ALT | #4 - #14 | 2" | 5 |
| SLT33ALT | 1/0 - #8 | 2-1/2" | 1 |
| SLT34ALT | 1/0 - #8 | 3" | 1 |
| SLT60ALT | 3/0 - #6 | 3-1/2" | 1 |
| SLT61ALT | 3/0 - #6 | 4" | 1 |
| SLT62ALT | #6 - 250mcm | 5" | 1 |
| SLT63ALT | #6 - 250mcm | 6" | 1 |



| <u>90 Degree</u> | <u>45 Degree</u> | <u>Ground Lug Capacity</u> | <u>Size</u> | |
|------------------|------------------|----------------------------|-------------|----|
| SLT25ALT | SLT25-45ALT | #4 - #14 | 3/8" | 10 |
| SLT35ALT | SLT35-45ALT | #4 - #14 | 1/2" | 10 |
| SLT36ALT | SLT36-45ALT | #4 - #14 | 3/4" | 10 |
| SLT37ALT | SLT37-45ALT | #4 - #14 | 1" | 5 |
| SLT38ALT | SLT38-45ALT | #4 - #14 | 1-1/4" | 10 |
| SLT39ALT | SLT39-45ALT | #4 - #14 | 1-1/2" | 10 |
| SLT40ALT | SLT40-45ALT | #4 - #14 | 2" | 5 |
| SLT65ALT | SLT65-45ALT | 1/0 - #8 | 2-1/2" | 1 |
| SLT66ALT | SLT66-45ALT | 1/0 - #8 | 3" | 1 |
| SLT67ALT | SLT67-45ALT | 3/0 - #6 | 3-1/2" | 1 |
| SLT68ALT | SLT68-45ALT | 3/0 - #6 | 4" | 1 |



Available with Copper Grounding Lugs

Sealtite (Liquid-Tight) Flexible Conduit

| <u>Catalog #</u> | <u>Description</u> | <u>Std. Pkg.</u> |
|------------------|--------------------|------------------|
| CSALT-3/8 | 3/8" | 30 meter carton* |
| CSALT-1/2 | 1/2" | 30 meter carton* |
| CSALT-3/4 | 3/4" | 30 meter carton* |
| CSALT-1 | 1" | 30 meter carton* |
| CSALT-1-1/4 | 1-1/4" | 15 meter carton* |
| CSALT-1-1/2 | 1-1/2" | 15 meter carton* |
| CSALT-2 | 2" | 15 meter carton |
| CSALT-2-1/2 | 2-1/2" | 15 meter carton |
| CSALT-3 | 3" | 8 meter carton |
| CSALT-4 | 4" | 8 meter carton |

Cut Lengths Available 2" thru 4"

* Available on Reels



Flexible Conduit and Connectors

| Catalog # | Description | Std. Pkg. |
|-----------|-------------|-----------|
|-----------|-------------|-----------|

Aluminum Flexible Conduit

| | | |
|-----------|--------|----------------|
| HWA-3/8 | 3/8" | 75 meter coil* |
| HWA-7/16 | 7/16" | 75 meter coil* |
| HWA-1/2 | 1/2" | 30 meter coil* |
| HWA-3/4 | 3/4" | 30 meter coil* |
| HWA-1 | 1" | 30 meter coil* |
| HWA-1-1/4 | 1-1/4" | 15 meter coil* |
| HWA-1-1/2 | 1-1/2" | 15 meter coil* |
| HWA-2 | 2" | 8 meter coil* |
| HWA-2-1/2 | 2-1/2" | 8 meter coil |
| HWA-3 | 3" | 8 meter coil |
| HWA-4 | 4" | 8 meter coil |

Cut Lengths Available 2" thru 4"

* Available on Reels



Flexible Conduit Connectors

Straight

| | | | |
|------|----------------|--------|----|
| C27Z | Zinc Die Cast | 1/2" | 25 |
| C28Z | Zinc Die Cast | 3/4" | 25 |
| C29Z | Zinc Die Cast | 1" | 10 |
| C30Z | Zinc Die Cast | 1-1/4" | 10 |
| C31Z | Zinc Die Cast | 1-1/2" | 5 |
| C32Z | Zinc Die Cast | 2" | 10 |
| C32 | Malleable Iron | 2" | 1 |
| C33 | Malleable Iron | 2-1/2" | 1 |
| C34 | Malleable Iron | 3" | 1 |
| C61 | Malleable Iron | 4" | 1 |



90 Degree

| | | | |
|------|----------------|--------|----|
| C35Z | Zinc Die Cast | 1/2" | 25 |
| C36Z | Zinc Die Cast | 3/4" | 10 |
| C37Z | Zinc Die Cast | 1" | 5 |
| C38Z | Zinc Die Cast | 1-1/4" | 10 |
| C39Z | Zinc Die Cast | 1-1/2" | 1 |
| C40Z | Zinc Die Cast | 2" | 1 |
| C40 | Malleable Iron | 2" | 1 |
| C65 | Malleable Iron | 2-1/2" | 1 |
| C66 | Malleable Iron | 3" | 1 |
| C68 | Malleable Iron | 4" | 1 |

