

Rigid

Catalog # Description Std. Pkg.

Bushings

Die Cast Ground Bushings with Lay-In Lug

	<u>Ground Lug Capacity</u>	<u>Size</u>	
20BIZ4L	#14 - #4	1/2"	100
21BIZ4L	#14 - #4	3/4"	50
22BIZ4L	#14 - #4	1"	25
23BIZ4L	#14 - #4	1-1/4"	25
24BIZ4L	#14 - #4	1-1/2"	25
25BIZ4L	#14 - #4	2"	25
26BIZ0L	#14 - 2/0	2-1/2"	1
27BIZ0L	#14 - 2/0	3"	1
28BIZ0L	#14 - 2/0	3-1/2"	1
29BIZ0L	#14 - 2/0	4"	1



Malleable Iron Ground Bushings with Lay-In Lug

	<u>Ground Lug Capacity</u>	<u>Size</u>	
26BI0L	#14 - 2/0	2-1/2"	1
27BI0L	#14 - 2/0	3"	1
28BI0L	#14 - 2/0	3-1/2"	1
29BI0L	#14 - 2/0	4"	1
30BI0L	#6 - 250 Mcm	5"	1
31BI0L	#6 - 250 Mcm	6"	1



Available in Hot Dipped Galvanized

Die Cast Split Ground Bushings with Lay-In Lug

	<u>Ground Lug Capacity</u>	<u>Size</u>	
SGBS381CL*	#14 - #4	1/2"	1
SGB382CL	#14 - #4	3/4"	1
SGB383CL	#14 - #4	1"	1
SGB384CL	#14 - #4	1-1/4"	1
SGB385CL	#14 - 1/0	1-1/2"	1
SBG386CL	#14 - 1/0	2"	1
SBG387CL	#14 - 1/0	2-1/2"	1
SGB388CL	#14 - 1/0	3"	1
SGB390CL	#6 - 3/0	4"	1

NEW



*Steel

Plastic

PB50	1/2"	100
PB75	3/4"	100
PB100	1"	50
PB125	1-1/4"	25
PB150	1-1/2"	25
PB200	2"	1
PB250	2-1/2"	1
PB300	3"	1
PB350	3-1/2"	1
PB400	4"	1
PB500	5"	1
PB600	6"	1



Rigid

Catalog #	Description	Std. Pkg.
-----------	-------------	-----------

Bushings

Malleable Iron - Insulated

1206	1/2"	100
1207	3/4"	100
1208	1"	50
1209	1-1/4"	25
1210	1-1/2"	25
1211	2"	1
1212	2-1/2"	1
1213	3"	1
1214	3-1/2"	1
1215	4"	1
1216	5"	1
1217	6"	1



Locknuts

Steel

705X	3/8" Oversized Locknut	250
LN50	1/2"	100
LN75	3/4"	100
LN100	1"	50
LN125	1-1/4"	100
LN150	1-1/2"	100
LN200	2"	50
LN250	2-1/2"	50
LN300	3"	25
LN350	3-1/2"	25
LN400	4"	1
LN500	5"	1
LN600	6"	1



705X



Aluminum

LN50AL	1/2"	100
LN75AL	3/4"	100
LN100AL	1"	50
LN125AL	1-1/4"	100
LN150AL	1-1/2"	100
LN200AL	2"	50
LN250AL	2-1/2"	50
LN300AL	3"	25
LN350AL	3-1/2"	25
LN400AL	4"	1
LN500AL	5"	1
LN600AL	6"	1



Sealing Locknut

706P	1/2"	100
707P	3/4"	100
708P	1"	50
709P	1-1/4"	1
710P	1-1/2"	1
711P	2"	1
712P	2-1/2"	1
713P	3"	1
714P	3-1/2"	1
715P	4"	1
716P	5"	1
717P	6"	1



Rigid

Catalog #	Description	Std. Pkg.
-----------	-------------	-----------

Sealing O-Rings

SR50	1/2"	100
SR75	3/4"	100
SR10	1"	100
SR125	1-1/4"	50
SR150	1-1/2"	50
SR200	2"	50
SR250	2-1/2"	1
SR300	3"	1
SR350	3-1/2"	1
SR400	4"	1
SR500	5"	1
SR600	6"	1



Oil-Tight Hole Seals

S050	1/2"	10
S075	3/4"	10
S100	1"	10
S125	1-1/4"	10
S150	1-1/2"	10
S200	2"	10
S250	2-1/2"	10
S300	3"	10
S350	3-1/2"	10
S400	4"	10



Available in Stainless Steel

Knock-Out Seals - Steel

SS50	1/2"	200
SS52	3/4"	200
SS54	1"	200
SS56	1-1/4"	50
SS58	1-1/2"	50
SS60	2"	25
SS62*	2-1/2"	10
SS64*	3"	10
SS66*	3-1/2"	10
SS68*	4"	10

* Three Piece Design



Offset Nipples

Die Cast

C41	1/2"	10
C42	3/4"	10
C43	1"	10
C44	1-1/4"	5
C45	1-1/2"	5
C46	2"	2



Malleable Iron

OSN50	1/2"	10
OSN75	3/4"	10
OSN100	1"	10
OSN125	1-1/4"	5



Rigid

Catalog #	Description	Std. Pkg.
-----------	-------------	-----------

Bushed Nipples

Malleable Iron

90	1/2"	100
91	3/4"	100
92	1"	50
93	1-1/4"	25
94	1-1/2"	1
95	2"	1
96	2-1/2"	1
97	3"	1
98	3-1/2"	1
99	4"	1
995	5"	1
996	6"	1

Die Cast

90Z	1/2"	100
91Z	3/4"	100
92Z	1"	50
93Z	1-1/4"	25
94Z	1-1/2"	1
95Z	2"	1
96Z	2-1/2"	1
97Z	3"	1
98Z	3-1/2"	1
99Z	4"	1



Service Entrance Heads - Threaded - Aluminum

400	1/2"	10
401	3/4"	10
402	1"	10
403	1-1/4"	1
404	1-1/2"	1
405	2"	1
406	2-1/2"	1
407	3"	1
408	3-1/2"	1
409	4"	1



3 Piece Couplings - Malleable Iron

1022	1/2"	20
1023	3/4"	10
1024	1"	1
1025	1-1/4"	1
1026	1-1/2"	1
1027	2"	1
1028	2-1/2"	2
1029	3"	2
1030	3-1/2"	1
1031	4"	1
1005	5"	1
1006	6"	1



Available in Hot Dipped Galvanized

Rigid

Catalog #	Description	Std. Pkg.
-----------	-------------	-----------

Conduit Straps

One Hole - Steel

132S	1/2"	100
133S	3/4"	100
134S	1"	100
135S	1-1/4"	100
136S	1-1/2"	50
137S	2"	50
138S	2-1/2"	50
139S	3"	1
141S	3-1/2"	1
148S	4"	1



Two Hole - Steel

2132S	1/2"	250
2133S	3/4"	150
2134S	1"	100
2135S	1-1/4"	50
2136S	1-1/2"	50
2137S	2"	25
2138S	2-1/2"	25
2139S	3"	20
2141S	3-1/2"	15
2148S	4"	10
2150S	5"	10
2152S	6"	10



One Hole - Malleable Iron

132	1/2"	100
133	3/4"	100
134	1"	50
135	1-1/4"	1
136	1-1/2"	1
137	2"	1
138	2-1/2"	1
139	3"	1
141	3-1/2"	1
148	4"	1



Available in Hot Dipped Galvanized

Clamp Backs - Malleable Iron

900	1/2"	100
901	3/4"	100
902	1"	50
903	1-1/4"	50
904	1-1/2"	1
905	2"	1
906	2-1/2"	1
907	3"	1
908	3-1/2"	1
909	4"	1



Available in Hot Dipped Galvanized

Rigid

Catalog #	Description	Std. Pkg.
-----------	-------------	-----------

Enlargers - Male to Female

E35	1/2" Male - 3/4" Female	25
E36	3/4" Male - 1" Female	10
E37	1" Male - 1-1/4" Female	10
E38	1-1/4" Male - 1-1/2" Female	10



Floor Flanges

1F	1/2"	1
2F	3/4"	1
3F	1"	1
4F	1-1/4"	1
5F	1-1/2"	1
6F	2"	1



Conduit Hubs

Die Cast

TWH10	1/2"	25
TWH20	3/4"	25
TWH30	1"	10
TWH40	1-1/4"	5
TWH50	1-1/2"	2
TWH60	2"	2
TWH70	2-1/2"	1
TWH80	3"	1
TWH90	3-1/2"	1
TWH100	4"	1

Aluminum

TWH10	1/2"	25
TWH20	3/4"	25
TWH30	1"	10
TWH40	1-1/4"	5
TWH50	1-1/2"	2
TWH60	2"	2
TWH70	2-1/2"	1
TWH80	3"	1
TWH90	3-1/2"	1
TWH100	4"	1

Malleable Iron

CHM50	1/2"	25
CHM75	3/4"	25
CHM100	1"	10
CHM125	1-1/4"	5
CHM150	1-1/2"	2
CHM200	2"	2
CHM250	2-1/2"	1
CHM300	3"	1
CHM350	3-1/2"	1
CHM400	4"	1
CHM500	5"	1
CHM600	6"	1



Available in Hot Dipped Galvanized

Rigid

Catalog #	Description	Std. Pkg.
-----------	-------------	-----------

Pull Elbows

Female to Female - Die Cast

1313	1/2"	10
1314	3/4"	5
1315	1"	25
1316	1-1/4"	20



Female to Female - Malleable Iron

PEF50	1/2"	10
PEF75	3/4"	5
PEF100	1"	1
PEF125	1-1/4"	1
PEF150	1-1/2"	1
PEF200	2"	1

Male to Female - Die Cast

1320	1/2"	10
1321	3/4"	5



Male to Female - Malleable Iron

PEM50	1/2"	10
PEM75	3/4"	5
PEM100	1"	1
PEM125	1-1/4"	1
PEM150	1-1/2"	1
PEM200	2"	1

Compression Connectors & Couplings - Malleable Iron

Connectors

NTC50	1/2"	25
NTC75	3/4"	25
NTC100	1"	10
NTC125	1-1/4"	5
NTC150	1-1/2"	2
NTC200	2"	5
NTC250	2-1/2"	1
NTC300	3"	1
NTC350	3-1/2"	1
NTC400	4"	1



Available with Insulated Throat

Couplings

NTCC50	1/2"	25
NTCC75	3/4"	25
NTCC100	1"	10
NTCC125	1-1/4"	5
NTCC150	1-1/2"	2
NTCC200	2"	5
NTCC250	2-1/2"	1
NTCC300	3"	1
NTCC350	3-1/2"	1
NTCC400	4"	1



Rigid

Catalog #

Description

Std. Pkg.

Set Screw Connectors & Couplings - Malleable Iron

Connectors

TRC50	1/2"	25
TRC75	3/4"	25
TRC100	1"	5
TRC125	1-1/4"	5
TRC150	1-1/2"	5
TRC200	2"	2
TRC250	2-1/2"	2
TRC300	3"	1
TRC350	3-1/2"	1
TRC400	4"	1

Available with Insulated Throat

Couplings

TRCC50	1/2"	25
TRCC75	3/4"	25
TRCC100	1"	5
TRCC125	1-1/4"	5
TRCC150	1-1/2"	5
TRCC200	2"	2
TRCC250	2-1/2"	2
TRCC300	3"	1
TRCC350	3-1/2"	1
TRCC400	4"	1

Swivel Fixture Hangers

SWV4R (round)	50 Lbs.	1/2" or 3/4"	1
SWV4S (square)	Load Rating		

Supplied with 3/4" x 1/2" Steel Reducer

Conduit Reducing Bushings

RE21K	3/4" x 1/2"	200
RE31K	1" x 1/2"	100
RE32K	1" x 3/4"	
RE41K	1-1/4" x 1/2"	50
RE42K	1-1/4" x 3/4"	
RE43K	1-1/4" x 1"	
RE51K	1-1/2" x 1/2"	50
RE52K	1-1/2" x 3/4"	
RE53K	1-1/2" x 1"	
RE54K	1-1/2" x 1-1/4"	
RE61K	2" x 1/2"	25
RE62K	2" x 3/4"	
RE63K	2" x 1"	
RE64K	2" x 1-1/4"	
RE65K	2" x 1-1/2"	
RE71K*	2-1/2" x 1/2"	10
RE72K*	2-1/2" x 3/4"	
RE73K*	2-1/2" x 1"	
RE74K*	2-1/2" x 1-1/4"	
RE75K*	2-1/2" x 1-1/2"	
RE76K*	2-1/2" x 2"	

*Stocked with Hex Head.



Rigid

Catalog #	Description	Std. Pkg.
-----------	-------------	-----------

Conduit Reducing Bushings

RE81K*	3" x 1/2"	10
RE82K*	3" x 3/4"	
RE83K*	3" x 1"	
RE84K*	3" x 1-1/4"	
RE85K*	3" x 1-1/2"	
RE86K*	3" x 2"	5
RE87K*	3" x 2-1/2"	
RE91K*	3-1/2" x 1/2"	
RE92K*	3-1/2" x 3/4"	
RE93K*	3-1/2" x 1"	
RE94K*	3-1/2" x 1-1/4"	5
RE95K*	3-1/2" x 1-1/2"	
RE96K*	3-1/2" x 2"	
RE97K*	3-1/2" x 2-1/2"	
RE98K*	3-1/2" x 3"	
RE101K*	4" x 1/2"	5
RE102K*	4" x 3/4"	
RE103K*	4" x 1"	
RE104K*	4" x 1-1/4"	
RE105K*	4" x 1-1/2"	
RE106K*	4" x 2"	1
RE107K*	4" x 2-1/2"	
RE108K*	4" x 3"	
RE109K*	4" x 3-1/2"	
RE01210K	5" x 4"	
RE01412K	6" x 5"	1

*Stocked with Hex Head.



Conduit Reducing Washers

CW21	3/4" x 1/2"	250
CW31	1" x 1/2"	250
CW32	1" x 3/4"	
CW41	1-1/4" x 1/2"	100
CW42	1-1/4" x 3/4"	
CW43	1-1/4" x 1"	
CW51	1-1/2" x 1/2"	100
CW52	1-1/2" x 3/4"	
CW53	1-1/2" x 1"	
CW54	1-1/2" x 1-1/4"	50
CW61	2" x 1/2"	
CW62	2" x 3/4"	
CW63	2" x 1"	50
CW64	2" x 1-1/4"	
CW65	2" x 1-1/2"	
CW71	2-1/2" x 1/2"	50
CW72	2-1/2" x 3/4"	
CW73	2-1/2" x 1"	
CW74	2-1/2" x 1-1/4"	
CW75	2-1/2" x 1-1/2"	
CW76	2-1/2" x 2"	



Rigid

Catalog #	Description	Std. Pkg.
-----------	-------------	-----------

Conduit Reducing Washers

CW81	3" x 1/2"	25
CW82	3" x 3/4"	
CW83	3" x 1"	
CW84	3" x 1-1/4"	
CW85	3" x 1-1/2"	
CW86	3" x 2"	10
CW87	3" x 2-1/2"	
CW91	3-1/2" x 1/2"	
CW92	3-1/2" x 3/4"	
CW93	3-1/2" x 1"	
CW94	3-1/2" x 1-1/4"	
CW95	3-1/2" x 1-1/2"	
CW96	3-1/2" x 2"	
CW97	3-1/2" x 2-1/2"	
CW98	3-1/2" x 3"	
CW101	4" x 1/2"	10
CW102	4" x 3/4"	
CW103	4" x 1"	
CW104	4" x 1-1/4"	
CW105	4" x 1-1/2"	
CW106	4" x 2"	
CW107	4" x 2-1/2"	
CW108	4" x 3"	
CW109	4" x 3-1/2"	



Conduit Bodies c/w Cover & Gasket - Malleable Iron

<u>C</u>	<u>LB</u>	<u>LL</u>	<u>LR</u>	<u>Size</u>	
C1CG	LB1CG	LL1CG	LR1CG	1/2"	10
C2CG	LB2CG	LL2CG	LR2CG	3/4"	10
C3CG	LB3CG	LL3CG	LR3CG	1"	5
C4CG	LB4CG	LL4CG	LR4CG	1-1/4"	1
C5CG	LB5CG	LL5CG	LR5CG	1-1/2"	1
C6CG	LB6CG	LL6CG	LR6CG	2"	1
C7CG	LB7CG	LL7CG	LR7CG	2-1/2"	1
C8CG	LB8CG	LL8CG	LR8CG	3"	1
C9CG	LB9CG	LL9CG	LR9CG	3-1/2"	1
C10CG	LB10CG	LL10CG	LR10CG	4"	1

Available with Cast Covers

Available in Hot Dipped Galvanized



<u>I</u>	<u>Size</u>	
T1CG	1/2"	10
T2CG	3/4"	10
T3CG	1"	5
T4CG	1-1/4"	1
T5CG	1-1/2"	1
T6CG	2"	1
T7CG	2-1/2"	1
T8CG	3"	1
T10CG	4"	1

Available with Cast Covers

Available in Hot Dipped Galvanized



Rigid

Catalog # Description Std. Pkg.

Conduit Bodies c/w Cover & Gasket - Aluminum

<u>C</u>	<u>LB</u>	<u>LL</u>	<u>LR</u>	<u>Size</u>	
C7ACG	LB7ACG	LL7ACG	LR7ACG	2-1/2"	1
C8ACG	LB8ACG	LL8ACG	LR8ACG	3"	1
C10ACG	LB10ACG	LL10ACG	LR10ACG	4"	1



Form 7 Conduit Bodies c/w Cover & Gasket - Malleable Iron

<u>C</u>	<u>LB</u>	<u>LL</u>	<u>LR</u>	<u>Size</u>	
C17F7	LB17F7	LL17F7	LR17F7	1/2"	10
C27F7	LB27F7	LL27F7	LR27F7	3/4"	10
C37F7	LB37F7	LL37F7	LR37F7	1"	5
C47F7	LB47F7	LL47F7	LR47F7	1-1/4"	10
C57F7	LB57F7	LL57F7	LR57F7	1-1/2"	10
C67F7	LB67F7	LL67F7	LR67F7	2"	1
C77F7	LB77F7	LL77F7	LR77F7	2-1/2"	1
C87F7	LB87F7	LL87F7	LR87F7	3"	1
C97F7	LB97F7	LL97F7	LR97F7	3-1/2"	1
C107F7	LB107F7	LL107F7	LR107F7	4"	1



Available with Cast Covers

<u>I</u>	<u>Size</u>	
T17F7	1/2"	10
T27F7	3/4"	10
T37F7	1"	5
T47F7	1-1/4"	10
T57F7	1-1/2"	1
T67F7	2"	1
T77F7	2-1/2"	1
T87F7	3"	1
T107F7	4"	1



Available with Cast Covers

Mogul Bodies - Malleable Iron / Hot Dipped Galvanized

<u>C</u>	<u>LB</u>	<u>Size</u>	
MC100G	MLB100G	1"	1
MC125G*	MLB125G*	1-1/4"	1
MC150G*	MLB150G*	1-1/2"	1
MC200G*	MLB200G*	2"	1
MC250G*	MLB250G*	2-1/2"	1
MC300G*	MLB300G*	3"	1
MC350G*	MLB350G*	3-1/2"	1
MC400G*	MLB400G*	4"	1



*1-1/4" to 4" Have Rollers Installed

<u>LL</u>	<u>LR</u>	<u>I</u>	<u>Size</u>	
MLL100G	MLR100G	MT100G	1"	1
MLL125G	MLR125G	MT125G	1-1/4"	1
MLL150G	MLR150G	MT150G	1-1/2"	1
MLL200G	MLR200G	MT200G	2"	1




Rigid

Catalog #	Description	Std. Pkg.
-----------	-------------	-----------

Cast Device Boxes

Single Gang

FS50	Dead End - Shallow	1/2"	1
FS75	Dead End - Shallow	3/4"	1
FS100	Dead End - Shallow	1"	1
FSC50	Pull Thru - Shallow	1/2"	1
FSC75	Pull Thru - Shallow	3/4"	1
FSC100	Pull Thru - Shallow	1"	1
FD50	Dead End - Deep	1/2"	1
FD75	Dead End - Deep	3/4"	1
FD100	Dead End - Deep	1"	1
FDC50	Pull Thru - Deep	1/2"	1
FDC75	Pull Thru - Deep	3/4"	1
FDC100	Pull Thru - Deep	1"	1



Available in Hot Dipped Galvanized

Double Gang

FS2-50	Dead End - Shallow	1/2"	1
FS2-75	Dead End - Shallow	3/4"	1
FS2-100	Dead End - Shallow	1"	1
FSC2-50	Pull Thru - Shallow	1/2"	1
FSC2-75	Pull Thru - Shallow	3/4"	1
FSC2-100	Pull Thru - Shallow	1"	1
FD2-50	Dead End - Deep	1/2"	1
FD2-75	Dead End - Deep	3/4"	1
FD2-100	Dead End - Deep	1"	1
FDC2-50	Pull Thru - Deep	1/2"	1
FDC2-75	Pull Thru - Deep	3/4"	1
FDC2-100	Pull Thru - Deep	1"	1




Available in Hot Dipped Galvanized

Device Box Covers

Single Gang

FSFD-CS1	Stamped Steel	Blank	5
FSFD-CS2	Stamped Steel	Switch	5
FSFD-CS3	Stamped Steel	Duplex	5
FSFD-CS4	Stamped Steel	GFI	5
FSFD-CM1	Malleable	Blank	5
FSFD-CM2	Malleable	Switch	5
FSFD-CM3	Malleable	Duplex	5
FSFD-CG	Gasket		10



Double Gang

FSFD2-CS1	Stamped Steel	Blank	5
FSFD2-CS2	Stamped Steel	Switch	10
FSFD2-CS3	Stamped Steel	Duplex	10
FSFD2-CS4	Stamped Steel	GFI	5
FSFD2-CS5	Stamped Steel	Switch / Duplex	10
FSFD2-CS6	Stamped Steel	Switch / Single	10
FSFD2-CM1	Malleable	Blank	10
FSFD2-CM2	Malleable	Switch	5
FSFD2-CG	Gasket		20

