

Rigid

Strain Relief Connectors - Steel

	Colour Code	Range	Std. Pkg.
1/2"			
CG50-250	Red	0.15 - 0.25	25
CG50-350	White	0.25 - 0.35	25
CG50-450	Blue	0.35 - 0.45	25
CG50-560	Green	0.45 - 0.56	25
CG50-650	Brown	0.56 - 0.65	25
3/4"			
CG75-250	Red	0.15 - 0.25	10
CG75-350	White	0.25 - 0.35	10
CG75-450	Blue	0.35 - 0.45	10
CG75-560	Green	0.45 - 0.56	10
CG75-650	Brown	0.56 - 0.65	10
CG75-750	Yellow	0.65 - 0.75	10
CG75-850	Purple	0.75 - 0.85	10
1"			
CG100-560	Green	0.45 - 0.56	5
CG100-650	Brown	0.56 - 0.65	5
CG100-750	Yellow	0.65 - 0.75	5
CG100-850	Purple	0.75 - 0.85	5
CG100-950	Grey	0.85 - 0.95	5
CG100-1050	Black	0.95 - 1.05	5
1-1/4"			
CG125-850	Purple	0.75 - 0.85	5
CG125-950	Grey	0.85 - 0.95	5
CG125-1050	Black	0.95 - 1.05	5
CG125-1150	Orange	1.05 - 1.15	5
CG125-1250	Red	1.15 - 1.25	5
CG125-1375	White	1.25 - 1.375	5
1-1/2"			
CG150-1050	Black	0.95 - 1.05	2
CG150-1150	Orange	1.05 - 1.15	2
CG150-1250	Red	1.15 - 1.25	2
CG150-1375	White	1.25 - 1.375	2

Larger sizes as well as 45° and 90° connectors available - Please Call
Stainless Steel Strain Relief Connectors Available - See Page 68



Sealing O-Rings

	Size	Std. Pkg.
SR50	1/2"	100
SR75	3/4"	100
SR100	1"	100
SR125	1-1/4"	50
SR150	1-1/2"	50
SR200	2"	50
SR250	2-1/2"	1
SR300	3"	1
SR350	3-1/2"	1
SR400	4"	1
SR500	5"	1
SR600	6"	1



Rigid

Bushings

Insulated Malleable Iron Ground Bushings with Aluminum Lay-In Lug

Ground Lug
Capacity Size Std. Pkg.

RGB050M	#4 - #14	1/2"	100
RGB075M	#4 - #14	3/4"	50
RGB100M	#4 - #14	1"	25
RGB125M	#4 - #14	1-1/4"	25
RGB150M	#4 - #14	1-1/2"	25
RGB200M	#4 - #14	2"	25
RGB250M	1/0 - #8	2-1/2"	1
RGB300M	1/0 - #8	3"	1
RGB400M	1/0 - #8	4"	1
RGB500M	3/0 - #6	5"	1
RGB600M	3/0 - #6	6"	1



Plastic

Size Std. Pkg.

PB50	1/2"	100
PB75	3/4"	100
PB100	1"	50
PB125	1-1/4"	25
PB150	1-1/2"	25
PB200	2"	1
PB250	2-1/2"	1
PB300	3"	1
PB350	3-1/2"	1
PB400	4"	1
PB500	5"	1
PB600	6"	1



Malleable Iron – Insulated

Size Std. Pkg.

1206	1/2"	100
1207	3/4"	100
1208	1"	50
1209	1-1/4"	25
1210	1-1/2"	25
1211	2"	1
1212	2-1/2"	1
1213	3"	1
1214	3-1/2"	1
1215	4"	1
1216	5"	1
1217	6"	1



Swivel Fixture Hanger

Size Std. Pkg.

SWV4R (round)	Load Rating 50Lbs.	1/2" or 3/4"	1
SWV4S (square)			

Supplied with 3/4" x 1/2" Steel Reducer



Rigid

Locknuts

Steel	Size	Std. Pkg.
705X	3/8" Oversized Locknut	250
LN50	1/2"	100
LN75	3/4"	100
LN100	1"	50
LN125	1-1/4"	100
LN150	1-1/2"	100
LN200	2"	50
LN250	2-1/2"	50
LN300	3"	25
LN350	3-1/2"	25
LN400	4"	1
LN500	5"	1
LN600	6"	1
Aluminum	Size	Std. Pkg.
LN50AL	1/2"	100
LN75AL	3/4"	100
LN100AL	1"	50
LN125AL	1-1/4"	100
LN150AL	1-1/2"	100
LN200AL	2"	50
LN250AL	2-1/2"	50
LN300AL	3"	25
LN350AL	3-1/2"	25
LN400AL	4"	1
LN500AL	5"	1
LN600AL	6"	1
Sealing Locknut	Size	Std. Pkg.
706P	1/2"	100
707P	3/4"	100
708P	1"	50
709P	1-1/4"	1
710P	1-1/2"	1
711P	2"	1
712P	2-1/2"	1
713P	3"	1
714P	3-1/2"	1
715P	4"	1
716P	5"	1
717P	6"	1



705X



Offset Nipples

Die Cast	Malleable Iron	Size	Std. Pkg.
C41	OSN50	1/2"	10
C42	OSN75	3/4"	10
C43	OSN100	1"	10
C44	OSN125	1-1/4"	5
C45		1-1/2"	5
C46		2"	2



Rigid

Oil-Tight Hole Seals

	Size	Std. Pkg.
S050	1/2"	10
S075	3/4"	10
S100	1"	10
S125	1-1/4"	10
S150	1-1/2"	10
S200	2"	10
S250	2-1/2"	10
S300	3"	10
S350	3-1/2"	10
S400	4"	10

Available in Stainless Steel



Knock-Out Seals - Steel

	Size	Std. Pkg.
SS50	1/2"	200
SS52	3/4"	200
SS54	1"	200
SS56	1-1/4"	50
SS58	1-1/2"	50
SS60	2"	25
SS62*	2-1/2"	10
SS64*	3"	10
SS66*	3-1/2"	10
SS68*	4"	10

* Three Piece Design



Chase Nipples

Malleable Iron - Insulated

	Size	Std. Pkg.
MCN050I	1/2"	100
MCN075I	3/4"	100
MCN100I	1"	50
MCN125I	1-1/4"	25
MCN150I	1-1/2"	1
MCN200I	2"	1
MCN250I	2-1/2"	1
MCN300I	3"	1
MCN350I	3-1/2"	1
MCN400I	4"	1
995 (non-insulated)	5"	1
996 (non-insulated)	6"	1

Die Cast - Non Insulated

	Size	Std. Pkg.
90Z	1/2"	100
91Z	3/4"	100
92Z	1"	50
93Z	1-1/4"	25
94Z	1-1/2"	1
95Z	2"	1
96Z	2-1/2"	1
97Z	3"	1
98Z	3-1/2"	1
99Z	4"	1



Rigid

Service Entrance Heads - Threaded - Aluminum

	Size	Std. Pkg.
400	1/2"	10
401	3/4"	10
402	1"	10
403	1-1/4"	1
404	1-1/2"	1
405	2"	1
406	2-1/2"	1
407	3"	1
408	3-1/2"	1
409	4"	1



3 Piece Couplings - Malleable Iron

	Size	Std. Pkg.
3PC050	1/2"	20
3PC075	3/4"	10
3PC100	1"	1
3PC125	1-1/4"	1
3PC150	1-1/2"	1
3PC200	2"	1
3PC250	2-1/2"	2
3PC300	3"	2
3PC350	3-1/2"	1
3PC400	4"	1
3PC500	5"	1
3PC600	6"	1



Available in Hot Dipped Galvanized

Conduit Straps

One Hole - Steel

	Size	Std. Pkg.
132S	1/2"	100
133S	3/4"	100
134S	1"	100
135S	1-1/4"	100
136S	1-1/2"	50
137S	2"	50
138S	2-1/2"	50
139S	3"	1
141S	3-1/2"	1
148S	4"	1



Two Hole - Steel

	Size	Std. Pkg.
2132S	1/2"	250
2133S	3/4"	150
2134S	1"	100
2135S	1-1/4"	50
2136S	1-1/2"	50
2137S	2"	25
2138S	2-1/2"	25
2139S	3"	20
2141S	3-1/2"	15
2148S	4"	10
2150S	5"	10
2152S	6"	10



Rigid

Conduit Straps

One Hole - Malleable Iron	Size	Std. Pkg.
RSM050	1/2"	100
RSM075	3/4"	100
RSM100	1"	50
RSM125	1-1/4"	1
RSM150	1-1/2"	1
RSM200	2"	1
RSM250	2-1/2"	1
RSM300	3"	1
RSM350	3-1/2"	1
RSM400	4"	1
RSM500	5"	1
RSM600	6"	1

Available in Hot Dipped Galvanized

Clamp Backs - Malleable Iron

	Size	Std. Pkg.
BSC050	1/2"	100
BSC075	3/4"	100
BSC100	1"	50
BSC125	1-1/4"	50
BSC150	1-1/2"	1
BSC200	2"	1
BSC250	2-1/2"	1
BSC300	3"	1
BSC350	3-1/2"	1
BSC400	4"	1

Available in Hot Dipped Galvanized

Enlargers - Male to Female

	Size	Std. Pkg.
E35	1/2" Male - 3/4" Female	25
E36	3/4" Male - 1" Female	10
E37	1" Male - 1-1/4" Female	10
E38	1-1/4" Male - 1-1/2" Female	10

Floor Flanges

	Size	Std. Pkg.
1F	1/2"	1
2F	3/4"	1
3F	1"	1
4F	1-1/4"	1
5F	1-1/2"	1
6F	2"	1



Rigid

Conduit Hubs

Die Cast	Aluminum	Size	Std. Pkg.
WH10	TWH10A	1/2"	25
WH20	TWH20A	3/4"	25
WH30	TWH30A	1"	10
WH40	TWH40A	1-1/4"	5
WH50	TWH50A	1-1/2"	2
WH60	TWH60A	2"	2
WH70	TWH70A	2-1/2"	1
WH80	TWH80A	3"	1
WH90	TWH90A	3-1/2"	1
WH100	TWH100A	4"	1

Malleable Iron	Size	Std. Pkg.
CHM50	1/2"	25
CHM75	3/4"	25
CHM100	1"	10
CHM125	1-1/4"	5
CHM150	1-1/2"	2
CHM200	2"	2
CHM250	2-1/2"	1
CHM300	3"	1
CHM350	3-1/2"	1
CHM400	4"	1
CHM500	5"	1
CHM600	6"	1

Available in Hot Dipped Galvanized



Pull Elbows

Female to Female - Die Cast	Size	Std. Pkg.
1313	1/2"	10
1314	3/4"	5
1315	1"	25
1316	1-1/4"	20

Female to Female - Malleable Iron	Size	Std. Pkg.
PEF50	1/2"	10
PEF75	3/4"	5
PEF100	1"	1
PEF125	1-1/4"	1
PEF150	1-1/2"	1
PEF200	2"	1

Male to Female - Die Cast	Size	Std. Pkg.
1320	1/2"	10
1321	3/4"	5

Male to Female - Malleable Iron	Size	Std. Pkg.
PEM50	1/2"	10
PEM75	3/4"	5
PEM100	1"	1
PEM125	1-1/4"	1
PEM150	1-1/2"	1
PEM200	2"	1



Rigid

Set Screw Connectors & Couplings - Malleable Iron

Connectors	Size	Std. Pkg.
TRC50	1/2"	25
TRC75	3/4"	25
TRC100	1"	5
TRC125	1-1/4"	5
TRC150	1-1/2"	5
TRC200	2"	2
TRC250	2-1/2"	2
TRC300	3"	1
TRC350	3-1/2"	1
TRC400	4"	1

Available with Insulated Throat

Couplings	Size	Std. Pkg.
TRCC50	1/2"	25
TRCC75	3/4"	25
TRCC100	1"	5
TRCC125	1-1/4"	5
TRCC150	1-1/2"	5
TRCC200	2"	2
TRCC250	2-1/2"	2
TRCC300	3"	1
TRCC350	3-1/2"	1
TRCC400	4"	1



Compression Connectors & Couplings - Malleable Iron

Connectors	Size	Std. Pkg.
NTC50	1/2"	25
NTC75	3/4"	25
NTC100	1"	10
NTC125	1-1/4"	5
NTC150	1-1/2"	2
NTC200	2"	5
NTC250	2-1/2"	1
NTC300	3"	1
NTC350	3-1/2"	1
NTC400	4"	1

Available with Insulated Throat

Couplings	Size	Std. Pkg.
NTCC50	1/2"	25
NTCC75	3/4"	25
NTCC100	1"	10
NTCC125	1-1/4"	5
NTCC150	1-1/2"	2
NTCC200	2"	5
NTCC250	2-1/2"	1
NTCC300	3"	1
NTCC350	3-1/2"	1
NTCC400	4"	1



Rigid

Reducing Bushings

	Size	Std. Pkg.
RE21K	3/4" x 1/2"	200
RE31K	1" x 1/2"	100
RE32K	1" x 3/4"	
RE41K	1-1/4" x 1/2"	50
RE42K	1-1/4" x 3/4"	
RE43K	1-1/4" x 1"	
RE51K	1-1/2" x 1/2"	50
RE52K	1-1/2" x 3/4"	
RE53K	1-1/2" x 1"	
RE54K	1-1/2" x 1-1/4"	
RE62K	2" x 3/4"	25
RE63K	2" x 1"	
RE64K	2" x 1-1/4"	
RE65K	2" x 1-1/2"	
RE71K*	2-1/2" x 1/2"	10
RE72K*	2-1/2" x 3/4"	
RE73K*	2-1/2" x 1"	
RE74K*	2-1/2" x 1-1/4"	
RE75K*	2-1/2" x 1-1/2"	
RE76K*	2-1/2" x 2"	
RE81K*	3" x 1/2"	10
RE82K*	3" x 3/4"	
RE83K*	3" x 1"	
RE84K*	3" x 1-1/4"	
RE85K*	3" x 1-1/2"	
RE86K*	3" x 2"	
RE87K*	3" x 2-1/2"	5
RE91K*	3-1/2" x 1/2"	
RE92K*	3-1/2" x 3/4"	
RE93K*	3-1/2" x 1"	
RE94K*	3-1/2" x 1-1/4"	
RE95K*	3-1/2" x 1-1/2"	
RE96K*	3-1/2" x 2"	
RE97K*	3-1/2" x 2-1/2"	
RE98K*	3-1/2" x 3"	5
RE101K*	4" x 1/2"	
RE102K*	4" x 3/4"	
RE103K*	4" x 1"	
RE104K*	4" x 1-1/4"	
RE105K*	4" x 1-1/2"	
RE106K*	4" x 2"	
RE107K*	4" x 2-1/2"	5
RE108K*	4" x 3"	
RE109K*	4" x 3-1/2"	
RE01210K	5" x 4"	1
RE01412K	6" x 5"	1

*Stocked with Hex Head



Rigid

Reducing Washers

Size Std. Pkg.

CW21	3/4" x 1/2"	250
CW31	1" x 1/2"	250
CW32	1" x 3/4"	250
CW41	1-1/4" x 1/2"	100
CW42	1-1/4" x 3/4"	100
CW43	1-1/4" x 1"	100
CW51	1-1/2" x 1/2"	100
CW52	1-1/2" x 3/4"	100
CW53	1-1/2" x 1"	100
CW54	1-1/2" x 1-1/4"	100
CW61	2" x 1/2"	50
CW62	2" x 3/4"	50
CW63	2" x 1"	50
CW64	2" x 1-1/4"	50
CW65	2" x 1-1/2"	50
CW71	2-1/2" x 1/2"	50
CW72	2-1/2" x 3/4"	50
CW73	2-1/2" x 1"	50
CW74	2-1/2" x 1-1/4"	50
CW75	2-1/2" x 1-1/2"	50
CW76	2-1/2" x 2"	50
CW81	3" x 1/2"	25
CW82	3" x 3/4"	25
CW83	3" x 1"	25
CW84	3" x 1-1/4"	25
CW85	3" x 1-1/2"	25
CW86	3" x 2"	25
CW87	3" x 2-1/2"	25
CW91	3-1/2" x 1/2"	10
CW92	3-1/2" x 3/4"	10
CW93	3-1/2" x 1"	10
CW94	3-1/2" x 1-1/4"	10
CW95	3-1/2" x 1-1/2"	10
CW96	3-1/2" x 2"	10
CW97	3-1/2" x 2-1/2"	10
CW98	3-1/2" x 3"	10
CW101	4" x 1/2"	10
CW102	4" x 3/4"	10
CW103	4" x 1"	10
CW104	4" x 1-1/4"	10
CW105	4" x 1-1/2"	10
CW106	4" x 2"	10
CW107	4" x 2-1/2"	10
CW108	4" x 3"	10
CW109	4" x 3-1/2"	10



Rigid

Conduit Bodies c/w Cover & Gasket - Aluminum

C	LB	LL	LR	T	Size	Std. Pkg.
C1ACG	LB1ACG	LL1ACG	LR1ACG	T1ACG	1/2"	50
C2ACG	LB2ACG	LL2ACG	LR2ACG	T2ACG	3/4"	50
C3ACG	LB3ACG	LL3ACG	LR3ACG	T3ACG	1"	25
C4ACG	LB4ACG	LL4ACG	LR4ACG	T4ACG	1-1/4"	10
C5ACG	LB5ACG	LL5ACG	LR5ACG	T5ACG	1-1/2"	10
C6ACG	LB6ACG	LL6ACG	LR6ACG	T6ACG	2"	5
C7ACG	LB7ACG	LL7ACG	LR7ACG	T7ACG	2-1/2"	1
C8ACG	LB8ACG	LL8ACG	LR8ACG	T8ACG	3"	1
C10ACG	LB10ACG	LL10ACG	LR10ACG	T10ACG	4"	1



Conduit Bodies c/w Cover & Gasket - Malleable Iron

C	LB	LL	LR	T	Size	Std. Pkg.
C1CG	LB1CG	LL1CG	LR1CG	T1CG	1/2"	10
C2CG	LB2CG	LL2CG	LR2CG	T2CG	3/4"	10
C3CG	LB3CG	LL3CG	LR3CG	T3CG	1"	5
C4CG	LB4CG	LL4CG	LR4CG	T4CG	1-1/4"	1
C5CG	LB5CG	LL5CG	LR5CG	T5CG	1-1/2"	1
C6CG	LB6CG	LL6CG	LR6CG	T6CG	2"	1
C7CG	LB7CG	LL7CG	LR7CG	T7CG	2-1/2"	1
C8CG	LB8CG	LL8CG	LR8CG	T8CG	3"	1
C9CG	LB9CG	LL9CG	LR9CG	T9CG	3-1/2"	1
C10CG	LB10CG	LL10CG	LR10CG	T10CG	4"	1



Available with Cast Covers

Available in Hot Dipped Galvanized

Form 7 Conduit Bodies c/w Cover & Gasket - Malleable Iron

C	LB	LL	LR	T	Size	Std. Pkg.
C17F7	LB17F7	LL17F7	LR17F7	T17F7	1/2"	10
C27F7	LB27F7	LL27F7	LR27F7	T27F7	3/4"	10
C37F7	LB37F7	LL37F7	LR37F7	T37F7	1"	5
C47F7	LB47F7	LL47F7	LR47F7	T47F7	1-1/4"	10
C57F7	LB57F7	LL57F7	LR57F7	T57F7	1-1/2"	10
C67F7	LB67F7	LL67F7	LR67F7	T67F7	2"	1
C77F7	LB77F7	LL77F7	LR77F7	T77F7	2-1/2"	1
C87F7	LB87F7	LL87F7	LR87F7	T87F7	3"	1
C97F7	LB97F7	LL97F7	LR97F7	T97F7	3-1/2"	1
C107F7	LB107F7	LL107F7	LR107F7	T107F	4"	1



Available with Cast Covers

Combo EMT/Rigid Conduit Bodies c/w Cover & Gasket

C	LB	LL	LR	T	Size	Std. Pkg.
C1CA	LB1CA	LL1CA	LR1CA	T1CA	1/2"	50
C2CA	LB2CA	LL2CA	LR2CA	T2CA	3/4"	50
C3CA	LB3CA	LL3CA	LR3CA	T3CA	1"	25
C4CA	LB4CA	LL4CA	LR4CA	T4CA	1-1/4"	10
C5CA	LB5CA	LL5CA	LR5CA	T5CA	1-1/2"	10
C6CA	LB6CA	LL6CA	LR6CA	T6CA	2"	5



Rigid


Cast Device Boxes

Single Gang		Type	Size	Std. Pkg.
FS50	FS1	Dead End - Shallow	1/2"	1
FS75	FS2	Dead End - Shallow	3/4"	1
FS100	FS3	Dead End - Shallow	1"	1
FSC50	FSC1	Pull Thru - Shallow	1/2"	1
FSC75	FSC2	Pull Thru - Shallow	3/4"	1
FSC100	FSC3	Pull Thru - Shallow	1"	1
FD50	FD1	Dead End - Deep	1/2"	1
FD75	FD2	Dead End - Deep	3/4"	1
FD100	FD3	Dead End - Deep	1"	1
FDC50	FDC1	Pull Thru - Deep	1/2"	1
FDC75	FDC2	Pull Thru - Deep	3/4"	1
FDC100	FDC3	Pull Thru - Deep	1"	1

Available in Hot Dipped Galvanized

Double Gang		Type	Size	Std. Pkg.
FS2-50		Dead End - Shallow	1/2"	1
FS2-75		Dead End - Shallow	3/4"	1
FS2-100		Dead End - Shallow	1"	1
FSC2-50		Pull Thru - Shallow	1/2"	1
FSC2-75		Pull Thru - Shallow	3/4"	1
FSC2-100		Pull Thru - Shallow	1"	1
FD2-50		Dead End - Deep	1/2"	1
FD2-75		Dead End - Deep	3/4"	1
FD2-100		Dead End - Deep	1"	1
FDC2-50		Pull Thru - Deep	1/2"	1
FDC2-75		Pull Thru - Deep	3/4"	1
FDC2-100		Pull Thru - Deep	1"	1

Available in Hot Dipped Galvanized



Device Box Covers

Single Gang		Type	Std. Pkg.
FSFD-CS1	Stamped Steel	Blank	5
FSFD-CS2	Stamped Steel	Switch	5
FSFD-CS3	Stamped Steel	Duplex	5
FSFD-CS4	Stamped Steel	GFI	5
FSFD-CM1	Malleable	Blank	5
FSFD-CM2	Malleable	Switch	5
FSFD-CM3	Malleable	Duplex	5
FSFD-CG	Gasket		10

Double Gang		Type	Std. Pkg.
FSFD2-CS1	Stamped Steel	Blank	5
FSFD2-CS2	Stamped Steel	Switch	10
FSFD2-CS3	Stamped Steel	Duplex	10
FSFD2-CS4	Stamped Steel	GFI	5
FSFD2-CS5	Stamped Steel	Switch /	10
FSFD2-CS6	Stamped Steel	Switch / Single	10
FSFD2-CM1	Malleable	Blank	10
FSFD2-CM2	Malleable	Switch	5
FSFD2-CG	Gasket		20

