

Sealtite (Liquid-Tight) Connectors

Zinc Die Cast – Insulated Throat

Straight	Size	Std. Pkg.
LTC38Z	3/8"	25
LTC50Z	1/2"	25
LTC75Z	3/4"	10
LTC100Z	1"	5
LTC125Z	1-1/4"	5
LTC150Z	1-1/2"	1
LTC200Z	2"	1
LTC250Z	2-1/2"	1
LTC300Z	3"	1
LTC350Z	3-1/2"	1
LTC400Z	4"	1



90 Degree	Size	Std. Pkg.
LTC9038Z	3/8"	10
LTC9050Z	1/2"	10
LTC9075Z	3/4"	10
LTC90100Z	1"	5
LTC90125Z	1-1/4"	1
LTC90150Z	1-1/2"	1
LTC90200Z	2"	1
LTC90250Z	2-1/2"	1
LTC90300Z	3"	1
LTC90350Z	3-1/2"	1
LTC90400Z	4"	1



Malleable Iron - Insulated Throat

Straight	Size	Std. Pkg.
LTC38T	3/8"	25
LTC50T	1/2"	25
LTC75T	3/4"	10
LTC100T	1"	5
LTC125T	1-1/4"	5
LTC150T	1-1/2"	10
LTC200T	2"	5
LTC250T	2-1/2"	1
LTC300T	3"	1
LTC350T	3-1/2"	1
LTC400T	4"	1
LTC500T*	5"	1
LTC600T*	6"	1



90 Degree	45 Degree	Size	Std. Pkg.
LTC9038T	LTC4538T	3/8"	10
LTC9050T	LTC4550T	1/2"	10
LTC9075T	LTC4575T	3/4"	10
LTC90100T	LTC45100T	1"	5
LTC90125T	LTC45125T	1-1/4"	10
LTC90150T	LTC45150T	1-1/2"	10
LTC90200T	LTC45200T	2"	5
LTC90250T*	LTC45250T*	2-1/2"	1
LTC90300T*	LTC45300T*	3"	1
LTC90350T*	LTC45350T*	3-1/2"	1
LTC90400T*	LTC45400T*	4"	1



Available in Mechanical Galvanized

*Available in Hot Dipped Galvanized

Sealtite (Liquid-Tight) Connectors

Malleable Iron - Insulated Throat with Aluminum Ground Lug

Straight	Ground Lug Capacity	Size	Std. Pkg.
SLT47ALT	#4 - #14	3/8"	25
SLT27ALT	#4 - #14	1/2"	25
SLT28ALT	#4 - #14	3/4"	10
SLT29ALT	#4 - #14	1"	5
SLT30ALT	#4 - #14	1-1/4"	5
SLT31ALT	#4 - #14	1-1/2"	10
SLT32ALT	#4 - #14	2"	5
SLT33ALT	1/0 - #8	2-1/2"	1
SLT34ALT	1/0 - #8	3"	1
SLT60ALT	3/0 - #6	3-1/2"	1
SLT61ALT	3/0 - #6	4"	1
SLT62ALT	#6 - 250mcm	5"	1
SLT63ALT	#6 - 250mcm	6"	1



90 Degree	45 Degree	Ground Lug Capacity	Size	Std. Pkg.
SLT25ALT	SLT25-45ALT	#4 - #14	3/8"	10
SLT35ALT	SLT35-45ALT	#4 - #14	1/2"	10
SLT36ALT	SLT36-45ALT	#4 - #14	3/4"	10
SLT37ALT	SLT37-45ALT	#4 - #14	1"	5
SLT38ALT	SLT38-45ALT	#4 - #14	1-1/4"	10
SLT39ALT	SLT39-45ALT	#4 - #14	1-1/2"	10
SLT40ALT	SLT40-45ALT	#4 - #14	2"	5
SLT65ALT	SLT65-45ALT	1/0 - #8	2-1/2"	1
SLT66ALT	SLT66-45ALT	1/0 - #8	3"	1
SLT67ALT	SLT67-45ALT	3/0 - #6	3-1/2"	1
SLT68ALT	SLT68-45ALT	3/0 - #6	4"	1



Available with Copper Grounding Lugs

Sealtite (Liquid-Tight) Flexible Conduit

	Size	Std. Pkg.
CSALT-3/8	3/8"	30 meter carton*
CSALT-1/2	1/2"	30 meter carton*
CSALT-3/4	3/4"	30 meter carton*
CSALT-1	1"	30 meter carton*
CSALT-1-1/4	1-1/4"	15 meter carton*
CSALT-1-1/2	1-1/2"	15 meter carton
CSALT-2	2"	15 meter carton
CSALT-2-1/2	2-1/2"	15 meter carton
CSALT-3	3"	8 meter carton
CSALT-4	4"	8 meter carton



Cut Lengths Available 2" thru 4"

* Available on Reels

Note: Standard freight terms do not apply

Aluminum Flexible Conduit and Connectors

	Size	Std. Pkg.
HWA-3/8	3/8"	75 meter coil*
HWA-7/16	7/16"	75 meter coil*
HWA-1/2	1/2"	30 meter coil*
HWA-3/4	3/4"	30 meter coil*
HWA-1	1"	30 meter coil*
HWA-1-1/4	1-1/4"	15 meter coil*
HWA-1-1/2	1-1/2"	15 meter coil*
HWA-2	2"	8 meter coil*
HWA-2-1/2	2-1/2"	8 meter coil
HWA-3	3"	8 meter coil
HWA-4	4"	8 meter coil

Cut Lengths Available 2" thru 4"

* Available on Reels



Note: Standard freight terms do not apply

Flexible Conduit Connectors

Straight	Type	Size	Std. Pkg.
C27Z	Zinc Die Cast	1/2"	25
C28Z	Zinc Die Cast	3/4"	25
C29Z	Zinc Die Cast	1"	10
C30Z	Zinc Die Cast	1-1/4"	10
C31Z	Zinc Die Cast	1-1/2"	5
C32Z	Zinc Die Cast	2"	10
C32	Malleable Iron	2"	1
C33	Malleable Iron	2-1/2"	1
C34	Malleable Iron	3"	1
C61	Malleable Iron	4"	1



90 Degree	Type	Size	Std. Pkg.
C35Z	Zinc Die Cast	1/2"	25
C36Z	Zinc Die Cast	3/4"	10
C37Z	Zinc Die Cast	1"	5
C38Z	Zinc Die Cast	1-1/4"	10
C39Z	Zinc Die Cast	1-1/2"	1
C40Z	Zinc Die Cast	2"	1
C40	Malleable Iron	2"	1
C65	Malleable Iron	2-1/2"	1
C66	Malleable Iron	3"	1
C68	Malleable Iron	4"	1

