

# Rigid

## Aluminum Conduit Bodies c/w Cover & Gasket

<b>C</b>	<b>LB</b>	<b>LL</b>	<b>LR</b>	<b>I</b>		
Catalog #					Size	Std. Pkg.
C1ACG	LB1ACG	LL1ACG	LR1ACG	T1ACG	1/2"	50
C2ACG	LB2ACG	LL2ACG	LR2ACG	T2ACG	3/4"	50
C3ACG	LB3ACG	LL3ACG	LR3ACG	T3ACG	1"	25
C4ACG	LB4ACG	LL4ACG	LR4ACG	T4ACG	1-1/4"	10
C5ACG	LB5ACG	LL5ACG	LR5ACG	T5ACG	1-1/2"	10
C6ACG	LB6ACG	LL6ACG	LR6ACG	T6ACG	2"	5
C7ACG	LB7ACG	LL7ACG	LR7ACG	T7ACG	2-1/2"	1
C8ACG	LB8ACG	LL8ACG	LR8ACG	T8ACG	3"	1
C9ACG	LB9ACG	LL9ACG	LR9ACG	T9ACG	3-1/2"	1
C10ACG	LB10ACG	LL10ACG	LR10ACG	T10ACG	4"	1



## Malleable Iron Conduit Bodies c/w Cover & Gasket

<b>C</b>	<b>LB</b>	<b>LL</b>	<b>LR</b>	<b>I</b>		
Catalog #					Size	Std. Pkg.
C1M	LB1M	LL1M	LR1M	T1M	1/2"	10
C2M	LB2M	LL2M	LR2M	T2M	3/4"	10
C3M	LB3M	LL3M	LR3M	T3M	1"	5
C4M	LB4M	LL4M	LR4M	T4M	1-1/4"	1
C5M	LB5M	LL5M	LR5M	T5M	1-1/2"	1
C6M	LB6M	LL6M	LR6M	T6M	2"	1
C7M	LB7M	LL7M	LR7M	T7M	2-1/2"	1
C8M	LB8M	LL8M	LR8M	T8M	3"	1
C9M	LB9M	LL9M	LR9M	T9M	3-1/2"	1
C10M	LB10M	LL10M	LR10M	T10M	4"	1



Available with Cast Covers / Available in Hot Dipped Galvanized

## Malleable Iron Form 7 Conduit Bodies c/w Cover & Gasket

<b>C</b>	<b>LB</b>	<b>LL</b>	<b>LR</b>	<b>I</b>		
Catalog #					Size	Std. Pkg.
C17F7	LB17F7	LL17F7	LR17F7	T17F7	1/2"	10
C27F7	LB27F7	LL27F7	LR27F7	T27F7	3/4"	10
C37F7	LB37F7	LL37F7	LR37F7	T37F7	1"	5
C47F7	LB47F7	LL47F7	LR47F7	T47F7	1-1/4"	10
C57F7	LB57F7	LL57F7	LR57F7	T57F7	1-1/2"	10
C67F7	LB67F7	LL67F7	LR67F7	T67F7	2"	1
C77F7	LB77F7	LL77F7	LR77F7	T77F7	2-1/2"	1
C87F7	LB87F7	LL87F7	LR87F7	T87F7	3"	1
C97F7	LB97F7	LL97F7	LR97F7	T97F7	3-1/2"	1
C107F7	LB107F7	LL107F7	LR107F7	T107F7	4"	1



Available with Cast Covers

## Malleable Iron Mogul Conduit Bodies c/w Cover & Gasket Hot Dipped Galvanized

<b>C</b>	<b>LB</b>	<b>LL</b>	<b>LR</b>	<b>I</b>		
Catalog #					Size	Std. Pkg.
MC100G	MLB100G	MLL100G	MLR100G	MT100G	1"	1
MC125G	MLB125G*	MLL125G	MLR125G	MT125G	1-1/4"	1
MC150G	MLB150G*	MLL150G	MLR150G	MT150G	1-1/2"	1
MC200G	MLB200G*	MLL200G	MLR200G	MT200G	2"	1
MC250G	MLB250G*	-	-	-	2-1/2"	1
MC300G	MLB300G*	-	-	-	3"	1
MC350G	MLB350G*	-	-	-	3-1/2"	1
MC400G	MLB400G*	-	-	-	4"	1



\*Built in Rollers

# Rigid

## Combo EMT/Rigid Conduit Bodies c/w Cover & Gasket

**C**      **LB**      **LL**      **LR**      **I**

Catalog #					Size	Std. Pkg.
CE050SC	LBE050SC	LLE050SC	LRE050SC	TE050SC	1/2"	10
CE075SC	LBE075SC	LLE075SC	LRE075SC	TE075SC	3/4"	10
CE100SC	LBE100SC	LLE100SC	LRE100SC	TE100SC	1"	10
CE125SC	LBE125SC	LLE125SC	LRE125SC	TE125SC	1-1/4"	10
CE150SC	LBE150SC	LLE150SC	LRE150SC	TE150SC	1-1/2"	10
CE200SC	LBE200SC	LLE200SC	LRE200SC	TE200SC	2"	5



## Conduit Hubs

### Die Cast

### Aluminum

Catalog #	Catalog #	Size	Std. Pkg.	Mfg.
WH10	TWH10A	1/2"	25	Confit
WH20	TWH20A	3/4"	25	
WH30	TWH30A	1"	10	
WH40	TWH40A	1-1/4"	5	
WH50	TWH50A	1-1/2"	2	
WH60	TWH60A	2"	2	
WH70	TWH70A	2-1/2"	1	
WH80	TWH80A	3"	1	
WH90	TWH90A	3-1/2"	1	
WH100	TWH100A	4"	1	



### Malleable Iron

Catalog #	Size	Std. Pkg.	Mfg.
CHM50	1/2"	25	Sepco
CHM75	3/4"	25	
CHM100	1"	10	
CHM125	1-1/4"	5	
CHM150	1-1/2"	2	
CHM200	2"	2	
CHM250	2-1/2"	1	
CHM300	3"	1	
CHM350	3-1/2"	1	
CHM400	4"	1	
CHM500	5"	1	
CHM600	6"	1	



Available in Hot Dipped Galvanized

## 3 Piece Couplings

### Malleable Iron

### Aluminum

Catalog #	Catalog #	Size	Std. Pkg.	Mfg.
3PC050	EC50A	1/2"	20	Confit
3PC075	EC75A	3/4"	10	
3PC100	EC100A	1"	1	
3PC125	EC125A	1-1/4"	1	
3PC150	EC150A	1-1/2"	1	
3PC200	EC200A	2"	1	
3PC250	EC250A	2-1/2"	2	
3PC300	EC300A	3"	2	
3PC350	EC350A	3-1/2"	1	
3PC400	EC400A	4"	1	
3PC500	-	5"	1	
3PC600	-	6"	1	




Available in Hot Dipped Galvanized

# Rigid

## Cast Device Boxes

### Single Gang

Catalog #	Type	Size	Std. Pkg.	Mfg.
FS50	FS1	1/2"		Confit
FS75	FS2	3/4"	1	
FS100	FS3	1"		
FSC50	FSC1	1/2"		
FSC75	FSC2	3/4"	1	
FSC100	FSC3	1"		
FD50	FD1	1/2"		
FD75	FD2	3/4"	1	
FD100	FD3	1"		
FDC50	FDC1	1/2"		
FDC75	FDC2	3/4"	1	
FDC100	FDC3	1"		



Available in Hot Dipped Galvanized

### Double Gang

Catalog #	Type	Size	Std. Pkg.	Mfg.
FS2-50	Dead End - Shallow	1/2"	1	Sepco
FS2-75		3/4"		
FS2-100		1"		
FSC2-50	Pull Thru - Shallow	1/2"	1	
FSC2-75		3/4"		
FSC2-100		1"		
FD2-50	Dead End - Deep	1/2"	1	
FD2-75		3/4"		
FD2-100		1"		
FDC2-50	Pull Thru - Deep	1/2"	1	
FDC2-75		3/4"		
FDC2-100		1"		



Available in Hot Dipped Galvanized

## Device Box Covers


### Single Gang

Catalog #	Type	Std. Pkg.	Mfg.	
FSFD-CS1	Stamped Steel	Blank	5	Sepco
FSFD-CS2		Switch		
FSFD-CS3		Duplex		
FSFD-CS4		GFI		
FSFD-CM1	Malleable	Blank	5	
FSFD-CM2		Switch		
FSFD-CM3		Duplex		
FSFD-CG	Gasket	10		



### Double Gang

Catalog #	Type	Std. Pkg.	Mfg.	
FSFD2-CS1	Stamped Steel	Blank	5	Sepco
FSFD2-CS2		Switch	10	
FSFD2-CS3		Duplex	10	
FSFD2-CS4		GFI	5	
FSFD2-CS5		Switch /	10	
FSFD2-CS6		Switch / Single	10	
FSFD2-CM1	Malleable	Blank	10	
FSFD2-CM2		Switch	5	
FSFD2-CG	Gasket	20		



# Rigid

## Pull Elbows

### Female to Female

#### Malleable Iron

#### Zinc Die-Cast

Catalog #	Catalog #	Size	Std. Pkg.	Mfg.
PEF50	1313	1/2"	10	Sepco
PEF75	1314	3/4"	5	
PEF100	1315	1"	1	
PEF125	1316	1-1/4"	1	
PEF150		1-1/2"	1	
PEF200		2"	1	



### Male to Female

#### Malleable Iron

#### Zinc Die-Cast

Catalog #	Catalog #	Size	Std. Pkg.	Mfg.
PEM50	1320	1/2"	10	Sepco
PEM75	1321	3/4"	5	
PEM100		1"	1	
PEM125		1-1/4"	1	
PEM150		1-1/2"	1	
PEM200		2"	1	



## Oil-Tight Hole Seals


Catalog #	Size	Std. Pkg.	Mfg.
S050	1/2"	10	Sepco
S075	3/4"	10	
S100	1"	10	
S125	1-1/4"	10	
S150	1-1/2"	10	
S200	2"	10	
S250	2-1/2"	10	
S300	3"	10	
S350	3-1/2"	10	
S400	4"	10	



Available in Stainless Steel

## Knock-Out Seals - Steel

Catalog #	Size	Std. Pkg.	Mfg.
SS50	1/2"	200	Sepco
SS52	3/4"	200	
SS54	1"	200	
SS56	1-1/4"	50	
SS58	1-1/2"	50	
SS60	2"	25	
SS62*	2-1/2"	10	
SS64*	3"	10	
SS66*	3-1/2"	10	
SS68*	4"	10	



\* Three Piece Design

## Floor Flanges – Malleable Iron

Catalog #	Size	Std. Pkg.	Mfg.
1F	1/2"	1	Sepco
2F	3/4"	1	
3F	1"	1	
4F	1-1/4"	1	
5F	1-1/2"	1	
6F	2"	1	



# Rigid

## Bushings

### Insulated Malleable Iron Ground Bushings with Aluminum Lay-In Lug

Catalog #	Ground Lug Capacity	Size	Std. Pkg.	Mfg.
RGB050M	#4 - #14	1/2"	100	Confit
RGB075M		3/4"	50	
RGB100M		1"	25	
RGB125M		1-1/4"	25	
RGB150M		1-1/2"	25	
RGB200M		2"	25	
RGB250M	1/0 - #8	2-1/2"	1	
RGB300M		3"	1	
RGB400M		4"	1	
RGB500M	3/0 - #6	5"	1	
RGB600M		6"	1	



### Die Cast Split Ground Bushings with Aluminum Lay-In Lug

Catalog #	Ground Lug Capacity	Size	Std. Pkg.	Mfg.
SGBS381CL*	#4 - #14	1/2"	25	Bridgeport
SGB382CL		3/4"	25	
SGB383CL		1"	25	
SGB384CL		1-1/4"	20	
SGB385CL	#14 - 1/0	1-1/2"	20	
SGB386CL		2"	10	
SGB387CL		2-1/2"	25	
SGB388CL		3"	25	
SGB390CL	#6 - 3/0	4"	20	

\*Steel



### Plastic

Catalog #	Size	Std. Pkg.	Mfg.
PB50	1/2"	100	Sepco
PB75	3/4"	100	
PB100	1"	50	
PB125	1-1/4"	25	
PB150	1-1/2"	25	
PB200	2"	1	
PB250	2-1/2"	1	
PB300	3"	1	
PB350	3-1/2"	1	
PB400	4"	1	
PB500	5"	1	
PB600	6"	1	



### Malleable Iron - Insulated

Catalog #	Size	Std. Pkg.	Mfg.
1206	1/2"	100	Sepco
1207	3/4"	100	
1208	1"	50	
1209	1-1/4"	25	
1210	1-1/2"	25	
1211	2"	1	
1212	2-1/2"	1	
1213	3"	1	
1214	3-1/2"	1	
1215	4"	1	
1216	5"	1	
1217	6"	1	



# Rigid

## Strain Relief Connectors – Steel

### 1/2"

Catalog #	Colour Code	Range	Std. Pkg.	Mfg.
CG50-250	Red	0.15 - 0.25	25	Sepco
CG50-350	White	0.25 - 0.35	25	
CG50-450	Blue	0.35 - 0.45	25	
CG50-560	Green	0.45 - 0.56	25	
CG50-650	Brown	0.56 - 0.65	25	

### 3/4"

Catalog #	Colour Code	Range	Std. Pkg.	Mfg.
CG75-250	Red	0.15 - 0.25	10	Sepco
CG75-350	White	0.25 - 0.35	10	
CG75-450	Blue	0.35 - 0.45	10	
CG75-560	Green	0.45 - 0.56	10	
CG75-650	Brown	0.56 - 0.65	10	
CG75-750	Yellow	0.65 - 0.75	10	
CG75-850	Purple	0.75 - 0.85	10	

### 1"

Catalog #	Colour Code	Range	Std. Pkg.	Mfg.
CG100-560	Green	0.45 - 0.56	5	Sepco
CG100-650	Brown	0.56 - 0.65	5	
CG100-750	Yellow	0.65 - 0.75	5	
CG100-850	Purple	0.75 - 0.85	5	
CG100-950	Grey	0.85 - 0.95	5	
CG100-1050	Black	0.95 - 1.05	5	

### 1-1/4"

Catalog #	Colour Code	Range	Std. Pkg.	Mfg.
CG125-850	Purple	0.75 - 0.85	5	Sepco
CG125-950	Grey	0.85 - 0.95	5	
CG125-1050	Black	0.95 - 1.05	5	
CG125-1150	Orange	1.05 - 1.15	5	
CG125-1250	Red	1.15 - 1.25	5	
CG125-1375	White	1.25 - 1.375	5	

### 1-1/2"

Catalog #	Colour Code	Range	Std. Pkg.	Mfg.
CG150-1050	Black	0.95 - 1.05	2	Sepco
CG150-1150	Orange	1.05 - 1.15	2	
CG150-1250	Red	1.15 - 1.25	2	
CG150-1375	White	1.25 - 1.375	2	

Larger sizes as well as 45° and 90° connectors available

Stainless Steel Strain Relief Connectors Available - See Page 58



## Service Entrance Heads - Threaded - Aluminum

Catalog #	Size	Std. Pkg.	Mfg.
400	1/2"	10	Sepco
401	3/4"	10	
402	1"	10	
403	1-1/4"	1	
404	1-1/2"	1	
405	2"	1	
406	2-1/2"	1	
407	3"	1	
408	3-1/2"	1	
409	4"	1	



# Rigid

## Set Screw Connectors & Couplings - Malleable Iron

### Connectors

Catalog #	Size	Std. Pkg.	Mfg.
TRC50	1/2"	25	Sepco
TRC75	3/4"	25	
TRC100	1"	5	
TRC125	1-1/4"	5	
TRC150	1-1/2"	5	
TRC200	2"	2	
TRC250	2-1/2"	2	
TRC300	3"	1	
TRC350	3-1/2"	1	
TRC400	4"	1	



### Couplings

Catalog #	Size	Std. Pkg.	Mfg.
TRCC50	1/2"	25	Sepco
TRCC75	3/4"	25	
TRCC100	1"	5	
TRCC125	1-1/4"	5	
TRCC150	1-1/2"	5	
TRCC200	2"	2	
TRCC250	2-1/2"	2	
TRCC300	3"	1	
TRCC350	3-1/2"	1	
TRCC400	4"	1	



## Compression Connectors & Couplings - Malleable Iron

### Connectors

Catalog #	Size	Std. Pkg.	Mfg.
NTC50	1/2"	25	Sepco
NTC75	3/4"	25	
NTC100	1"	10	
NTC125	1-1/4"	5	
NTC150	1-1/2"	2	
NTC200	2"	5	
NTC250	2-1/2"	1	
NTC300	3"	1	
NTC350	3-1/2"	1	
NTC400	4"	1	



### Couplings

Catalog #	Size	Std. Pkg.	Mfg.
NTCC50	1/2"	25	Sepco
NTCC75	3/4"	25	
NTCC100	1"	10	
NTCC125	1-1/4"	5	
NTCC150	1-1/2"	2	
NTCC200	2"	5	
NTCC250	2-1/2"	1	
NTCC300	3"	1	
NTCC350	3-1/2"	1	
NTCC400	4"	1	



# Rigid

## Locknuts

### Steel

Catalog #	Catalog #	Size	Std. Pkg.	Mfg.
LN50	LN50AL	1/2"	100	Sepco
LN75	LN75AL	3/4"	100	
LN100	LN100AL	1"	50	
LN125	LN125AL	1-1/4"	100	
LN150	LN150AL	1-1/2"	100	
LN200	LN200AL	2"	50	
LN250	LN250AL	2-1/2"	50	
LN300	LN300AL	3"	25	
LN350	LN350AL	3-1/2"	25	
LN400	LN400AL	4"	1	
LN500	LN500AL	5"	1	
LN600	LN600AL	6"	1	



## Sealing Locknut

Catalog #	Size	Std. Pkg.	Mfg.
706P	1/2"	100	Sepco
707P	3/4"	100	
708P	1"	50	
709P	1-1/4"	1	
710P	1-1/2"	1	
711P	2"	1	
712P	2-1/2"	1	
713P	3"	1	
714P	3-1/2"	1	
715P	4"	1	
716P	5"	1	
717P	6"	1	



## Sealing O-Rings

Catalog #	Size	Std. Pkg.	Mfg.
SR50	1/2"	100	Sepco
SR75	3/4"	100	
SR100	1"	100	
SR125	1-1/4"	50	
SR150	1-1/2"	50	
SR200	2"	50	
SR250	2-1/2"	1	
SR300	3"	1	
SR350	3-1/2"	1	
SR400	4"	1	
SR500	5"	1	
SR600	6"	1	



## Conduit Hangers with Bolt – Steel

Catalog #	Size	Std. Pkg.	Mfg.
CLH050	3/8" - 1/2"	100	Confit
CLH075	3/4"	100	
CLH100	1"	100	
CLH125	1-1/4"	100	
CLH150	1-1/2"	100	
CLH200	2"	50	
CLH250	2-1/2"	50	
CLH300	3"	50	
CLH350	3-1/2"	25	
CLH400	4"	25	



# Rigid

## Swivel Fixture Hanger

Catalog #	Box Style	Load Rating	Size	Std. Pkg.	Mfg.
SWV4R	Round	50Lbs.	1/2" or 3/4"	1	Sepco
SWV4S	Square				

Supplied with 3/4" x 1/2" Steel Reducer



## Chase Nipples

### Malleable Iron - Insulated

Catalog #	Size	Std. Pkg.	Mfg.
MCN050T	1/2"	100	Confit
MCN075T	3/4"	100	
MCN100T	1"	50	
MCN125T	1-1/4"	25	
MCN150T	1-1/2"	1	
MCN200T	2"	1	
MCN250T	2-1/2"	1	
MCN300T	3"	1	
MCN350T	3-1/2"	1	
MCN400T	4"	1	
MCN500T	5"	1	
MCN600T	6"	1	



## Offset Nipples

### Die Cast

### Malleable Iron

Catalog #	Calalog #	Size	Std. Pkg.	Mfg.
C41	OSN50	1/2"	10	Sepco
C42	OSN75	3/4"	10	
C43	OSN100	1"	10	
C44	OSN125	1-1/4"	5	
C45		1-1/2"	5	
C46		2"	2	



## Thread Adapters

### PG to NPT

Catalog #	Male	Female	Std. Pkg.
RAPG11M50F	PG11	1/2" NPT	1
RAPG13M50F	PG13	1/2" NPT	1
RAPG16M50F	PG16	1/2" NPT	1
RAPG21M50F	PG21	1/2" NPT	1
RAPG21M75F	PG21	3/4" NPT	1

### Metric to NPT

Catalog #	Male	Female	Std. Pkg.
RAM16M50F	M16	1/2" NPT	1
RAM20M50F	M20	1/2" NPT	1
RAM25M50F	M25	1/2" NPT	1
RAM25M75F	M25	3/4" NPT	1
RAM32M75F	M32	3/4" NPT	1
RAM32M100F	M32	1" NPT	1
RAM40M100F	M40	1" NPT	1
RAM40M125F	M40	1-1/5" NPT	1
RAM50M150F	M50	1-1/2" NPT	1

Available in Explosion Proof and Stainless Steel



# Rigid

## Enlargers - Male to Female

Catalog #	Size	Std. Pkg.	Mfg.
E35	1/2" Male - 3/4" Female	25	Sepco
E36	3/4" Male - 1" Female	10	
E37	1" Male - 1-1/4" Female	10	
E38	1-1/4" Male - 1-1/2" Female	10	



## Reducing Bushings

Catalog #	Size	Std. Pkg.	Mfg.
RE21K	3/4" x 1/2"	200	Confit
RE31K	1" x 1/2"	100	
RE32K	1" x 3/4"		
RE41K	1-1/4" x 1/2"	50	
RE42K	1-1/4" x 3/4"		
RE43K	1-1/4" x 1"	50	
RE51K	1-1/2" x 1/2"		
RE52K	1-1/2" x 3/4"	50	
RE53K	1-1/2" x 1"		
RE54K	1-1/2" x 1-1/4"	25	
RE62K	2" x 3/4"		
RE63K	2" x 1"	10	
RE64K	2" x 1-1/4"		
RE65K	2" x 1-1/2"	10	
RE71K*	2-1/2" x 1/2"		
RE72K*	2-1/2" x 3/4"	10	
RE73K*	2-1/2" x 1"		
RE74K*	2-1/2" x 1-1/4"	10	
RE75K*	2-1/2" x 1-1/2"		
RE76K*	2-1/2" x 2"	5	
RE81K*	3" x 1/2"		
RE82K*	3" x 3/4"	10	
RE83K*	3" x 1"		
RE84K*	3" x 1-1/4"	5	
RE85K*	3" x 1-1/2"		
RE86K*	3" x 2"	5	
RE87K*	3" x 2-1/2"		
RE91K*	3-1/2" x 1/2"	5	
RE92K*	3-1/2" x 3/4"		
RE93K*	3-1/2" x 1"	5	
RE94K*	3-1/2" x 1-1/4"		
RE95K*	3-1/2" x 1-1/2"	5	
RE96K*	3-1/2" x 2"		
RE97K*	3-1/2" x 2-1/2"	1	
RE98K*	3-1/2" x 3"		
RE101K*	4" x 1/2"	5	
RE102K*	4" x 3/4"		
RE103K*	4" x 1"	5	
RE104K*	4" x 1-1/4"		
RE105K*	4" x 1-1/2"	5	
RE106K*	4" x 2"		
RE107K*	4" x 2-1/2"	1	
RE108K*	4" x 3"		
RE109K*	4" x 3-1/2"	1	
RE01210K	5" x 4"		
RE01412K	6" x 5"		



Steel 1/2" thru 2" / Malleable Iron Over 2"

\*Stocked with Hex Head

Note: Hex head may not extend beyond the external diameter of the reducing bushing

# Rigid

## Reducing Washers

Catalog #	Size	Std. Pkg.	Mfg.
CW21	3/4" x 1/2"	250	
CW31	1" x 1/2"		
CW32	1" x 3/4"	250	
CW41	1-1/4" x 1/2"		
CW42	1-1/4" x 3/4"	100	
CW43	1-1/4" x 1"		
CW51	1-1/2" x 1/2"		
CW52	1-1/2" x 3/4"		
CW53	1-1/2" x 1"	100	
CW54	1-1/2" x 1-1/4"		
CW61	2" x 1/2"		
CW62	2" x 3/4"		
CW63	2" x 1"	50	
CW64	2" x 1-1/4"		
CW65	2" x 1-1/2"		
CW71	2-1/2" x 1/2"		
CW72	2-1/2" x 3/4"		
CW73	2-1/2" x 1"		
CW74	2-1/2" x 1-1/4"	50	
CW75	2-1/2" x 1-1/2"		
CW76	2-1/2" x 2"		
CW81	3" x 1/2"		
CW82	3" x 3/4"		
CW83	3" x 1"		
CW84	3" x 1-1/4"	25	
CW85	3" x 1-1/2"		
CW86	3" x 2"		
CW87	3" x 2-1/2"		
CW91	3-1/2" x 1/2"		
CW92	3-1/2" x 3/4"		
CW93	3-1/2" x 1"		
CW94	3-1/2" x 1-1/4"		
CW95	3-1/2" x 1-1/2"	10	
CW96	3-1/2" x 2"		
CW97	3-1/2" x 2-1/2"		
CW98	3-1/2" x 3"		
CW101	4" x 1/2"		
CW102	4" x 3/4"		
CW103	4" x 1"		
CW104	4" x 1-1/4"		
CW105	4" x 1-1/2"	10	
CW106	4" x 2"		
CW107	4" x 2-1/2"		
CW108	4" x 3"		
CW109	4" x 3-1/2"		

Sepco



# Rigid

## Conduit Straps – Steel

### One Hole - Steel

Catalog #	Size	Std. Pkg.	Mfg.
132S	1/2"	100	Sepco
133S	3/4"	100	
134S	1"	100	
135S	1-1/4"	100	
136S	1-1/2"	50	
137S	2"	50	
138S	2-1/2"	50	
139S	3"	1	
141S	3-1/2"	1	
148S	4"	1	



### Two Hole - Steel

Catalog #	Size	Std. Pkg.	Mfg.
2132S	1/2"	250	Sepco
2133S	3/4"	150	
2134S	1"	100	
2135S	1-1/4"	50	
2136S	1-1/2"	50	
2137S	2"	25	
2138S	2-1/2"	25	
2139S	3"	20	
2141S	3-1/2"	15	
2148S	4"	10	
2150S	5"	10	
2152S	6"	10	



## Conduit Straps – Malleable Iron

Catalog #	Size	Std. Pkg.	Mfg.
RSM050	1/2"	100	Confit
RSM075	3/4"	100	
RSM100	1"	50	
RSM125	1-1/4"	1	
RSM150	1-1/2"	1	
RSM200	2"	1	
RSM250	2-1/2"	1	
RSM300	3"	1	
RSM350	3-1/2"	1	
RSM400	4"	1	
RSM500	5"	1	
RSM600	6"	1	



Available in Hot Dipped Galvanized

## Clamp Backs - Malleable Iron

Catalog #	Size	Std. Pkg.	Mfg.
BSC050	1/2"	100	Confit
BSC075	3/4"	100	
BSC100	1"	50	
BSC125	1-1/4"	50	
BSC150	1-1/2"	1	
BSC200	2"	1	
BSC250	2-1/2"	1	
BSC300	3"	1	
BSC350	3-1/2"	1	
BSC400	4"	1	
910	5"	1	Sepco
911	6"	1	



Available in Hot Dipped Galvanized